




DIKAR

DIKAR S. COOP
Ugarte, 26
20570 Bergara-Guipúzcoa
info@bergararifles.com
Tel.: +34 943 769 893
www.bergara.online



2022 EN-V6

 **BERGARA**[®]
OUR BARRELS MAKE THE DIFFERENCE

2022
INTERNATIONAL



OUR BARRELS MAKE THE DIFFERENCE



A HISTORY OF PRECISION

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

At Bergara, we believe that a precision firearm requires not only the best components, but also an assembly process that is carried out by individuals who are the best of the best at their craft. For this reason, we brought together a team of the world's most talented and experienced firearm builders.

It all began several years ago when we first began with a small line of custom rifles and one top-notch craftsman, the former Production Chief and Chief Instructor for the United States Marine Corps Precision Weapons Section. As Bergara rapidly grew, we then assembled a hand-picked group.

Today, that team forms the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.

EVERY RIFLE STARTS WITH A PRECISION BARREL

STEP 1 FACE TURNING

The solid bar is face turned in order to assure straight deep hole drilling. Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets a deviation of less than 4/1,000 (or .004) of an inch. Many barrel manufacturers never even evaluate this aspect of a barrel and consequently hinder the barrel's accuracy potential.

STEP 2 DEEP HOLE DRILLING

Once the steel bar is straightened, it moves on to a four-spindle deep hole drilling machine where a specialized bit drills a perfect hole through the entire length of the bar.

STEP 3 TURNING

Turning the barrel before honing helps get a better bore finish.

STEP 4 BARREL HONING

Most other barrel manufacturers move from deep hole drilling to reaming, a process that leaves tool marks in the bore. Instead of reaming, Bergara uses three separate honing spindles that utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish that is almost completely free of tool marks. This time-consuming step lends Bergara a level of accuracy on par with barrels costing much more.

STEP 5 BUTTON RIFLING

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. This produces a groove diameter deviation of less than 2/10,000 (or .0002") of an inch. It's the same result that many gunsmiths accomplish by hand lapping.

STEP 6 STRESS RELIEVING

Finally, a high temperature heating process realigns the steel molecules ensuring that the barrel is free from any stress after the button rifling process. Doing so the barrel will be more reliable and will last more rounds.

PREMIER SERIES	4-9
Highlander	6
Mountain 2.0.....	7
HMR Pro	8
WILDERNESS SERIES	10-15
Terrain	12
HMR	13
Ridge	14
Hunter.....	15
EXTREME SERIES	6-21
Hunter.....	18
Hunter Viper Urban.....	19
Sporter.....	20
Sporter Viper Western.....	21
B-14 SERIES	22-31
B14 ² Crest.....	24
BMP	25
HMR	26
HMR Green.....	27
Sporter.....	28
Sporter Green	29
Timber	30
Hunter.....	31
RIMFIRE SERIES	32-39
B14R Trainer Carbon.....	34
B14R Trainer Steel.....	35
BMR Carbon.....	36
BMR Steel.....	37
BXR Carbon.....	38
BXR Steel	39
BA13 TD SERIES	40-47
Thumbhole.....	42
Standard	43
Thumbhole Camo Strata.....	44
Standard Camo Strata.....	45
Thumbhole Green.....	46
Standard Green	47
ACCESSORIES	48-53
SPECIFICATIONS	54-58



PREMIER SERIES

PREMIER SERIES

Think of our Premier Series as an extension of our US Custom Series, but with standardized features for greater efficiencies in parts production and assembly – providing near custom performance at prices that are affordable to serious shooters.

Bergara's premium stainless steel barrels receive a proprietary honing process at our barrel making facility in Bergara, Spain. Then, at the Bergara USA factory, the barrel receives a Cerakote™ finish and is coupled with our proprietary Bergara PREMIER action, featuring a nonrotating gas shield, coned bolt nose, and sliding plate extractor.

Premier Series rifles are built by hand and offer each shooter a wide variety of stock options. Choose from multiple carbon fiber, fiberglass, composite, and precision machined chassis stock offerings. All Premier Series rifles are built around legendary Bergara barrels and feature world-famous TriggerTech® triggers, among other industry-best components. All rifles are hand assembled in house by our qualified builders to our exacting standards and precise specifications and are guaranteed to produce sub-MOA groups using factory ammunition.

FEATURES

- | | |
|-------------------------------|--|
| BERGARA PREMIER ACTION | <ul style="list-style-type: none"> • Premium stainless steel with Cerakote™ finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments • Cone-shaped bolt nose assures smooth feeding • Sliding plate extractor • Ejector is a spring loaded plunger located in the bolt face • 1-piece stainless steel bolt body with threaded-in bolt handle • 90° bolt throw angle • Firing assembly is bayonet style allowing quick access to the firing pin assembly • Simply twist the bolt shroud and the entire firing assembly can be removed without tools |
| BERGARA BARREL | <ul style="list-style-type: none"> • Made from 410 AISI stainless steel • Cerakote™ finish • All Premier Rifles are guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition |
| TRIGGER | <ul style="list-style-type: none"> • All Premier rifles feature externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment |
| SAFETY MECHANISMS | <ul style="list-style-type: none"> • The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position • Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture |



HIGHLANDER

WEIGHT	3.3 kg (7.3 lbs) - 3.4 kg (7.7 lbs)
LENGTHS	51 cm (20") - 61 cm (24") barrel 98 cm (38.5") - 109 cm (43") overall
BARREL	17.8 mm / No. 5 taper, fluted Threaded 5/8"-24 UNEF with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	Grayboe® fiberglass
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate: 4 round capacity in standard calibers 3 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700® bases with 8-40 screws

* Featuring the Bergara Premier action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"
7mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"

* See page 54 for full specifications



MOUNTAIN 2.0

WEIGHT	2.8 kg (6.2 lbs) - 2.9 kg (6.4 lbs)
LENGTHS	56 cm (22") - 61 cm (24") barrel 105 cm (41.5") - 112 cm (44") overall
BARREL	15 mm / No. 3 taper
FINISH	Tactical grey Cerakote™
STOCK	AG Composite 100% carbon fiber
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	Hinged floor plate: 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity: 300 PRC, 6.5 PRC
SCOPEMOUNT	Fits Remington 700® bases with 8-40 screws

* Featuring the Bergara Premier action

CALIBER	TWIST
6.5 Creedmoor	1:8"
6.5 PRC	1:8"
.308 Win.	1:10"
.300 Win. Mag.	1:10"
300 PRC	1:9"

* See page 54 for full specification



HMR PRO (HUNTING & MATCH)

WEIGHT	4.2 kg (9.3 lbs) - 4.4 kg (9.8 lbs)
LENGTHS	51 cm (20") - 66 cm (26") barrel 102 cm (39.5") - 121 cm (47.5") overall
BARREL	19.1 mm / No. 5.5 taper 21.3 mm / No. 6 taper Threaded 5/8"-24 UNEF with thread protector
FINISH	Tactical grey Cerakote™
STOCK	Bergara HMR molded with mini-chassis* featuring an adjustable cheek piece and length of pull spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	TriggerTech® Frictionless Release Technology™
MAGAZINE	AICS style detachable: 5 round mag provided (3 round mag: 6.5 PRC)
SCOPEMOUNT	Fits Remington 700® bases with 8-40 screws

- * Featuring the Bergara Premier action
- * Full-length Integrated mini-chassis for repeatable bedding and supports fully free-floated barrel

CALIBER	TWIST
.22-250 Rem.	1:9"
6mm Creedmoor	1:7.5"
6.5 Creedmoor	1:8"
6.5 PRC	1:8"
.308 Win.	1:10"
.300 Win. Mag.	1:10"
300 PRC	1:9"

* See page 54 for full specifications



B-14 WILDERNESS SERIES

B-14 WILDERNESS SERIES

The Wilderness Series tackles the need for rifles that can withstand the rugged and unforgiving wilderness while blending into those very same elements – hence Bergara’s hand-painted camouflage stocks with added webbing for increased texture and grip. All Wilderness Series barreled actions feature Sniper Grey Cerakote™ finishes for advanced protection in extremely harsh weather. The Terrain, HMR, and Ridge models also feature a seamless, omnidirectional, and multi-ported muzzle brake that will reduce felt recoil by up to 35 percent.

The B-14 Wilderness Series provides a great deal of added value for the hunter that wants a no-nonsense performer that is built to withstand the backcountry. We are breaking through the uninhabited and inhospitable regions to bring you the weather protection needed to withstand these conditions.

We believe the word wilderness, while may be rugged, harsh and unforgiving, describes an experience rather than a location. We built the B-14 Wilderness Series to match every stride taken off the beaten trail.

FEATURES

BERGARA B-14 ACTION

- Spring-loaded ejector
- Side-mounted bolt stop
- One-piece body with two locking lugs
- 90° Bolt throw angle
- Cone-shaped bolt nose ejector - assures smooth feeding
- Sliding plate extractor
- Hinged floor plate or detachable magazine
- Sniper grey Cerakote™

BERGARA BARREL

- Made from 4140 CrMo steel
- Sniper grey Cerakote™
- 1.0 MOA accuracy guaranteed

TRIGGER

- All B-14 Rifles feature an adjustable Bergara Performance Trigger

SAFETY MECHANISMS

- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position

STOCK

- All Wilderness Series rifles feature Bergara’s hand-painted camouflage

TERRAIN

TERRAIN WILDERNESS SERIES

WEIGHT	4.2 kg (9.3 lbs) - 4.6 kg (10.1 lbs)
LENGTHS	51 cm (20") - 66 cm (26") barrel 104 cm (41") - 122 cm (48") overall
BARREL	No. 5.5 taper Threaded 5/8"-24" with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	Bergara Terrain molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek rest
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable: 5 round mag provided (3 round mag: 6.5 PRC)
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
6.5 PRC	1:8"
.308 Win.	1:10"
.300 Win. Mag.	1:10"
300 PRC	1:9"

* See page 54 for full specifications



HMR WILDERNESS SERIES

WEIGHT	4.3 kg (9.5 lbs) - 4.5 kg (9.9 lbs)
LENGTHS	51 cm (20") - 66 cm (26") barrel 102 cm (40") - 121 cm (47.5") overall
BARREL	21,6 mm / No. 6 taper Threaded 5/8"-24 UNEF with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	Bergara HMR molded with mini-chassis Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable: 5 round mag provided (3 round mag: 6.5 PRC)
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
6.5 PRC	1:8"
.308 Win.	1:10"
.300 Win. Mag.	1:10"
300 PRC	1:9"

* See page 54 for full specifications



HUNTING & MATCH

RIDGE WILDERNESS SERIES

WEIGHT	3.2 kg (7 lbs) - 3.6 kg (7.9 lbs)
LENGTHS	45.7 cm (18") - 61 cm (24") barrel 95 cm (37.5") - 116 cm (46") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF with Omni Muzzle Brake
FINISH	Sniper grey Cerakote™
STOCK	American-style synthetic with soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity in PRC calibers Detachable magazine*: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700® bases with 6-48 screws

- * Not available in PRC calibers
- * Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
6.5 PRC	1:8"
.308 Win.	1:10"
7mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"
300 PRC	1:9"

* See page 54 for full specifications



HUNTER WILDERNESS SERIES

WEIGHT	3.2 kg (7 lbs) - 3.3 kg (7.3 lbs)
LENGTHS	56 cm (20") - 61 cm (24") barrel 105 cm (41.5") - 112 cm (44") overall
BARREL	16.5 mm / No. 4 taper
FINISH	Sniper grey Cerakote™
STOCK	American-style synthetic with Soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers 2 round capacity in PRC calibers Detachable magazine*: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700® bases with 6-48 screws

- * Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"
7mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"

* See pages 54 for full specifications





EXTREME SERIES

B-14 EXTREME SERIES

The Bergara Extreme Series Hunter Rifle is Bergara's newest offering, geared towards extreme conditions rifle shooting. This rifle features Bergara's B-14 action mated with a 4 tapered (16.6 mm), stainless steel Bergara barrel with Cerakote™ finish. The barrel is threaded and 18" length. This new rifle is less than 1 meter long and weighs less than 3 kg (6.6 lbs) what makes it perfect for mountain and rough conditions hunting.

The entire Extreme Series brings Bergara Barrel accuracy to a line of hunting rifles that is affordable to serious big-game hunters. Built in Spain, this rifle delivers a level of quality and performance that is unmatched in its price range.

It's outfitted with a Bergara curved adjustable trigger we designed to guarantee a crisp, clean pull every time you fire the rifle. The Extreme Series Rifles are available in .308 Win. caliber and 6.5 Creedmoor with hinged floor plate or detachable magazine and open sights are optional. All Extreme rifles are capable of producing 1.0 MOA groups or less at 100 yards using factory match grade ammunition.

FEATURES

BERGARA B-14 ACTION

- Made from 410 AISI stainless steel
- Spring-loaded ejector
- Side-mounted bolt stop
- One-piece body with two locking lugs
- 90° bolt throw angle
- Cone-shaped bolt nose ejector - assures smooth feeding
- Sliding plate extractor
- Detachable magazine

BERGARA BARREL

- Made from 410 AISI stainless steel
- Sniper grey Cerakote™ / graphite black Cerakote™ / Coyote tan Cerakote™
- All barrels are threaded in M14x1
- 1.0 MOA accuracy guaranteed

TRIGGER

- All B-14 Rifles feature an adjustable Bergara Performance Trigger

SAFETY MECHANISMS

- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position

HUNTER

HUNTER EXTREME SERIES

WEIGHT	2.9 kg (6.6 lbs)
LENGTHS	45.7 cm (18") barrel 95 cm (37.4") overall
BARREL	16.6 mm / No. 4 taper Threaded M14x1 - 410 AISI stainless steel
FINISH	Stainless grey Cerakote™
STOCK	American-style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Detachable magazine: 3 round capacity
SCOPEMOUNT	Fits Remington 700® bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	6.5 Creedmoor .308 Win.	TWIST	1:8" 1:10"
----------------	----------------------------	--------------	---------------

* See page 55 for full specifications



NEW MODEL

HUNTER VIPER URBAN EXTREME SERIES

WEIGHT	2.9 kg (6.6 lbs)
LENGTHS	45.7 cm (18") barrel 95 cm (37.4") overall
BARREL	16.6 mm / No. 4 taper Threaded M14x1 - 410 AISI stainless steel
FINISH	Graphite black Cerakote™
STOCK	American-style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Detachable magazine: 3 round capacity
SCOPEMOUNT	Fits Remington 700® bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	6.5 Creedmoor .308 Win.	TWIST	1:8" 1:10"
----------------	----------------------------	--------------	---------------

* See page 55 for full specifications



HUNTER VIPER

**SPORTER
EXTREME SERIES**

WEIGHT	3.1 kg (6.9 lbs)
LENGTHS	45.7 cm (18") barrel 97 cm (38.2") overall
BARREL	16.6 mm / No. 4 taper Threaded M14x1 - 410 AISI stainless steel
FINISH	Graphite black Cerakote™
STOCK	Monte Carlo style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Detachable magazine: 3 round capacity
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

Featuring the Bergara B-14 action

CALIBER	6.5 Creedmoor .308 Win.	TWIST	1:8" 1:10"
----------------	----------------------------	--------------	---------------

* See page 55 for full specifications



NEW MODEL

**SPORTER VIPER WESTERN
EXTREME SERIES**

WEIGHT	3.1 kg (6.9 lbs)
LENGTHS	45.7 cm (18") barrel 97 cm (38.2") overall
BARREL	16.6 mm / No. 4 taper Threaded M14x1 - 410 AISI stainless steel
FINISH	Coyote tan Cerakote™
STOCK	Monte Carlo style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Detachable magazine: 3 round capacity
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	6.5 Creedmoor .308 Win.	TWIST	1:8" 1:10"
----------------	----------------------------	--------------	---------------

* See page 55 for full specifications



B-14 SERIES

B-14 SERIES

Our B-14 Series brings Bergara quality and accuracy to a line of rifles that is affordable to almost any serious big game hunter or shooter. Built in Spain at our state-of-the-art production facility, our highly-efficient manufacturing and assembly techniques allow us to deliver a rifle with a level of quality and performance that is unmatched for the price.

B-14 Series rifles feature the world-famous Bergara barrel, which is complemented by our own super-smooth B-14 Action. This action features a coned-bolt nose and breech, ensuring smooth feeding and a sliding plate extractor for proper alignment. The Bergara 4140 CrMo steel mated blued barrel is finished in Black Graphite Cerakote™. Lengths and contours vary by model. Stocks are designed in various styles to ensure proper fit for every shooter.

B-14²

The new B-14² concept stands for adding a proprietary development of a carbon fiber monocoque stock. Developed 100% in carbon fiber, this stock has an internal structure that provides greater rigidity, strength and prevents the stock from breaking.

Featuring this new stock to our B-14 action and our well-known barrels, we blend all the advantages of the model series, converging into something unique, which we have called B14 squared.

NEW CERAKOTE FINISH

FEATURES

BERGARA B-14 ACTION

- Spring-loaded ejector
- Side-mounted bolt stop
- One-piece body with two locking lugs
- 90° bolt throw angle
- Cone-shaped bolt nose ejector assures smooth feeding
- Sliding plate extractor
- Hinged floor plate or detachable magazine

BERGARA BARREL

- Made from 4140 CrMo steel
- Graphite Black Cerakote™ finish
- 1.0 MOA accuracy guaranteed

TRIGGER

- All B-14 Rifles feature an adjustable Bergara Performance Trigger

SAFETY MECHANISMS

- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position

NEW MODEL

B14² CREST

WEIGHT	3.1 Kg (6.9 lbs) - 3.3 Kg (7.3 lbs)
LENGTHS	51 cm (20") - 61 cm (24") barrel 105 cm (41.1") - 115 cm (45.3") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF with Omni Muzzle Brake
FINISH	Sniper Grey Cerakote™
STOCK	Monte Carlo style with a monocoque carbon fiber structure with adjustable length-of-pull QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable 3 round mag provided
SCOPE MOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action with fluted bolt.

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"

* See page 56 for full specifications

NOW WITH CERAKOTE FINISH

**BMP
(BERGARA MATCH PRECISION)**

WEIGHT	4.9 kg (10.8 lbs) - 6 kg (13.2 lbs)
LENGTHS	51 cm (20") - 71 cm (28") barrel 100 cm (39.5") - 100 cm (47") overall
BARREL	21.6 mm / No. 6 taper - 25 mm (0.98") Threaded M18x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	Bergara BMP chassis integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length of pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPE MOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"
.308 Win. SuperVarmint	1:11"

* See page 55 for full specifications

B14² CREST

BERGARA MATCH PRECISION



NOW WITH CERAKOTE FINISH

HMR
(HUNTING & MATCH RIFLE)

WEIGHT	4.1 kg (9 lbs) - 4.5 kg (9.9 lbs)
LENGTHS	51 cm (20") - 66 cm (26") barrel 115 cm (45.3") - 120 cm (47.2") overall
BARREL	19.1 mm / No. 5.5 - 21.6 mm / No. 6 taper Threaded M15x1 or M18x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	Bergara HMR molded with mini-chassis integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
.22-250	1:9"
6.5 Creedmoor	1:8"
.308 Win.	1:10"
.300 Win. Mag.	1:10"

* See page 55 for full specifications



Left handed models available in all the calibers



NEW MODEL

HMR GREEN
(HUNTING & MATCH RIFLE)

WEIGHT	4.1 kg (9 lbs) - 4.5 kg (9.9 lbs)
LENGTHS	51 cm (20") - 66 cm (26") barrel 115 cm (45.3") - 120 cm (47.2") overall
BARREL	19.1 mm / N° 5.5 - 21.6 mm / No. 6 taper Threaded M15x1 or M18x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	Bergara HMR molded with mini-chassis integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece, and length-of-pull
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style detachable 5 round mag provided
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:10"
.300 Win. Mag	1:10"

* See page 55 for full specifications



NOW WITH CERAKOTE FINISH

SPORTER

WEIGHT	3.3 kg (7.3 lbs) - 3.4 kg (7.5 lbs)
LENGTHS	56 cm (22") - 61 cm (24") barrel 107 cm (42") - 115 cm (45.5") overall
BARREL	16.5 mm / No. 4 taper - 19.1 mm / No 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	Monte Carlo style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
.243 Win.	1:10"
6.5 Creedmoor	1:8"
.308 Win.	1:12"
6.5x55 SE	1:8.66"
.270 Win.	1:10"
.30-06 Spring.	1:10"
8x57 JS	1:10"
7 mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"
.338 Win. Mag.	1:10"

* See pages 55-56 for full specifications



Sporter Varmint model available in calibers:
.22-250 Rem.(1:9") / 6.5 Creedmoor (1:8")
and .308 Win.(1:10"), with different specifications



NEW MODEL

SPORTER GREEN

WEIGHT	3.3 kg (7.3 lbs) - 3.4 kg (7.5 lbs)
LENGTHS	56 cm (22") - 61 cm (24") barrel 107 cm (42") - 115 cm (45.5") overall
BARREL	16.5 mm / No. 4 taper - 19.1 mm / No 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	Monte Carlo style synthetic
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:12"
.30-06 Spring.	1:10"
.338 Win. Mag.	1:10"

* See pages 55-56 for full specifications



NOW WITH CERAKOTE FINISH

TIMBER

WEIGHT	3.4 kg (7.5 lbs) - 3.7 kg (8.1 lbs)
LENGTHS	56 cm (22") - 61 cm (24") barrel 107 cm (42") - 115 cm (45.5") overall
BARREL	16.5 mm / No. 4 taper - 21.3 mm / No 6 taper Threaded M14x1, M15x1 or M18x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	Monte Carlo style walnut
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
6.5 Creedmoor	1:8"
.308 Win.	1:12"
6.5x55 SE	1:8.66"
.30-06 Spring.	1:10"
8x57 JS	1:10"
7 mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"
.338 Win. Mag.	1:10"
.375 H&H Mag.	1:12"

* See page 56 for full specifications



Left handed Timber model available in calibers:
.6.5 Creedmoor / 7 mm Rem. Mag. / .308 Win.
.300 Win. Mag. and .338 Win. Mag.



NOW WITH CERAKOTE FINISH

HUNTER

WEIGHT	3.2 kg (7.1 lbs) - 3.4 kg (7.5 lbs)
LENGTHS	56 cm (22") - 61 cm (24") barrel 105 cm (41.5") - 112 cm (44") overall
BARREL	16.5 mm / No. 4 taper - 19.1 mm / No. 5.5 taper Threaded M14x1 or M15x1 with thread protector
FINISH	Graphite Black Cerakote™
STOCK	American-style synthetic with soft-touch finish
TRIGGER	Bergara Performance trigger
MAGAZINE	Hinged floor plate magazine: 4 round capacity in standard calibers 3 round capacity in magnum calibers Detachable magazine: 3 round capacity in standard calibers 2 round capacity in magnum calibers
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
.243 Win.	1:10"
6.5 Creedmoor	1:8"
.308 Win.	1:12"
.270 Win.	1:10"
.30-06 Spring.	1:10"
7 mm Rem. Mag.	1:9.5"
.300 Win. Mag.	1:10"

* See page 57 for full specifications





RIMFIRE SERIES

RIMFIRE SERIES

The Rimfire Series is the natural evolution of Bergara continuing its journey forward. Due to the fact that we have been making highly accurate rimfire barrels on an OEM basis for over a decade, we are confident that we can deliver exceptional performance and relevant features that make your rimfire shooting experience more successful.

With our advanced expertise in engineering, we combined three distinct platforms that serve completely different needs such as plinking and hunting as well as serious competition shooting.

The Bergara BMR (Bergara Micro Rimfire) is for those that demand the best and expect nothing short of perfection. With the option of either a 5rd magazine for hunting or a 10rd magazine for running stages at your favorite rimfire match, we designed the BMR from the ground up with field and match performance in mind.

The semi-automatic BXR series is ideal for plinking and hunting. The series bridges the gap between mass produced models and boutique brands. The BXR series is compatible with certain Ruger® 10/22® components and is available in either chromoly steel or carbon fiber tensioned steel.

The B-14R is specifically designed for long range rimfire shooting, training, and competing. It features a full-size 700 footprint and accepts many after-market components including stocks, triggers, and mounts. The push-feed action sports dual extractors and a full-size detachable magazine.

FEATURES

BERGARA B-14 ACTION

- Specialty Rimfire actions
- Match grade chambers (B-14R and BMR bolt actions)
- Detachable magazines
- Left-handed available on B-14R

BERGARA BARREL

- Made from 4140 steel
- Matte blued finish
- Carbon barrel options available

TRIGGER

- Bergara Performance Trigger (B-14R and BMR)
- Bergara BXR trigger (BXR)

STOCK

- Bergara HMR stock, adjustable cheek, free-floated (B-14R)
- QD Cups and swivels (BMR swivel only)

B-14R TRAINER - CARBON

WEIGHT	3.7 kg - 3.8 kg (8.1 - 8.4 lbs)
LENGTHS	46 cm (18") - 51 cm (20") barrel 96 cm (38") - 101 cm (39.7") overall
BARREL	21.3 mm / No. 6 Threaded 1/2-28" with thread protector Carbon fiber Bergara barrel
FINISH	Matte blued
STOCK	Bergara HMR stock Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length-of-pull Full-length integrated mini-chassis for repeatable bedding and supports fully free-floated barrel
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style 10 round magazine included
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* See page 57 for full specifications



Barreled actions and left-handed models are available



B-14R TRAINER - STEEL

WEIGHT	4.1 kg - 4.2 kg (9 - 9.2 lbs)
LENGTHS	46 cm (18") - 51 cm (20") barrel 96 cm (38") - 101 cm (39.7") overall
BARREL	21.3 mm / No. 6 Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	Bergara HMR stock Integrated QD flush cup sling mounts and swivel mounts Adjustable cheek piece and length-of-pull Full-length integrated mini-chassis for repeatable bedding and supports fully free-floated barrel
TRIGGER	Bergara Performance trigger
MAGAZINE	AICS style 10 round magazine included
SCOPEMOUNT	Fits Remington 700* bases with 6-48 screws

* Featuring the Bergara B-14 action

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* See page 57 for full specifications



Barreled actions and left-handed models are available



BMR CARBON

WEIGHT	2.3 Kg (5 lbs) - 2.4 kg (5.4 lbs)
LENGTHS	46 cm (18") - 51cm (20") barrel 92 cm (36") - 97 cm (38") overall
BARREL	21.3 mm / No. 6 taper Carbon fiber Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	BMR stock Swivel mounts
TRIGGER	Bergara Performance trigger Remington 700* compatible
MAGAZINE	Detachable 5 and 10 round magazines included
SCOPEMOUNT	30MOA integral Picatinny rail

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* See page 57 for full specifications

BMR STEEL

WEIGHT	2.5 Kg (5.5 lbs) - 2.6 kg (5.8 lbs)
LENGTHS	46 cm (18") - 51cm (20") barrel 92 cm (36") - 97 cm (38") overall
BARREL	21,3 mm / No. 6 taper 4140 Steel Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	BMR stock Swivel mounts
TRIGGER	Bergara Performance trigger Remington 700* compatible
MAGAZINE	Detachable 5 and 10 round magazines included
SCOPEMOUNT	30MOA integral Picatinny rail

CALIBER	TWIST
.22LR	1:16"
.22 WMR	1:16"
.17 HMR	1:9"

* See page 57 for full specifications



BXR CARBON



BXR CARBON

WEIGHT	2.1 Kg (4.7 lbs)
LENGTHS	42.5 cm (16.5") barrel 87.6 cm (34.5") with spacers
BARREL	21.3 mm / No. 6 taper Carbon fiber Threaded 1/2-28" with thread protector
FINISH	Graphite black Cerakote™
STOCK	Bergara synthetic tactical with LOP spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara BXR trigger Trigger pull: 3.5 lbs (approximate)
MAGAZINE	Detachable 10 round rotary magazine included
SCOPEMOUNT	30MOA integral Picatinny rail

CALIBER .22LR **TWIST** 1:16"

* See page 57 for full specifications



BXR STEEL

WEIGHT	2.3 Kg (5.2 lbs)
LENGTHS	42.5 cm (16.5") barrel 87.6 cm (34.5") with spacers
BARREL	21.3 mm / No. 6 taper Chromoly Threaded 1/2-28" with thread protector
FINISH	Matte blued
STOCK	Bergara synthetic tactical with LOP spacers Integrated QD flush cup sling mounts and swivel mounts
TRIGGER	Bergara BXR trigger Trigger pull: 3.5 lbs (approximate)
MAGAZINE	Detachable 10 round rotary magazine included
SCOPEMOUNT	30MOA integral Picatinny rail

CALIBER .22LR **TWIST** 1:16"

* See page 57 for full specifications



BXR STEEL



BA13 TD SERIES

BA13 TD SERIES

For the hunter who wants a high-quality single shot rifle, the BA-13 TAKE DOWN is the ideal choice. Its sleek, lightweight, and easy-to operate design sets a new standard for affordable single shot hunting rifles. Every stock is lightweight and features Bergara's CrushZone® Recoil pad – a real plus for heavier calibers. Every BA-13 TD model is perfectly balanced in a 100% ambidextrous, composite stock making the gun incredibly quick to aim and shoot. Each rifle includes a DuraSight® scope rail, which will accept most any standard scope rings found on the market today.

The quick-take-down, tools-free disassembly, makes it easy to carry and also a great stowaway gun for the camp, boat, or truck.

Our BA13 TAKE DOWN range is a popular choice for mountain hunting. Its excellent maneuverability, its lightness and the precision of the BERGARA barrels make the BA13 TD single shoot rifle an optimal performance for a stalking rifle.

FEATURES

BERGARA ACTION

- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a DuraSight® weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

BERGARA BARREL

- Fluted Bergara barrel
- 4140CrMo blued steel or 410 AISI stainless steel
- All barrels are threaded in 5/8"- 24 UNEF

STOCK

- Compact Synthetic design or Thumbhole stock in black color
Other colors are available. Check www.Bergara.Online for more details

THUMBHOLE

WEIGHT	3 kg (6.6 lbs) – 3.2 kg (7.1 lbs)
LENGTHS	42 cm (16.5") – 51 cm (20") barrel 80 cm (31.5") – 89 cm (35") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF
FINISH	Matte blued or stainless steel
STOCK	Synthetic black
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are not available in this model
SCOPEMOUNT	DuraSight® weaver-style rail

CALIBER	TWIST
.222 Rem.	1:14"
.243 Win.	1:10"
.300 BLACKOUT	1:8"
.308 Win.	1:12"
.30-06 Spring.	1:10"
.45-70 Govt.	1:20"
8x57 JRS	1:9.5"

* See page 58 for full specifications

STANDARD

WEIGHT	3 kg (6.6 lbs) – 3.2 kg (7.1 lbs)
LENGTHS	42 cm (16.5") – 51 cm (20") barrel 80 cm (31.5") – 89 cm (35") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF
FINISH	Matte blued or stainless steel
STOCK	Synthetic black
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are an option
SCOPEMOUNT	DuraSight® weaver-style rail

CALIBER	TWIST
.222 Rem.	1:14"
.243 Win.	1:10"
.300 BLACKOUT	1:8"
.308 Win.	1:12"
.30-06 Spring.	1:10"
.45-70 Govt.	1:20"
8x57 JRS	1:9.5"

* See page 58 for full specifications





NEW MODEL

THUMBHOLE CAMO STRATA

WEIGHT	3.2 kg
LENGTHS	51 (20") barrel 89 (35") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF
FINISH	Elite Moss Cerakote™
STOCK	Synthetic Camo Strata
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are not available in this model
SCOPEMOUNT	Bergara® weaver-style rail

CALIBER	TWIST
.223 Rem.	1:8"
6.5 Creedmoor	1:8"
.308 Win.	1:12"

* See page 58 for full specifications



NEW MODEL

STANDARD CAMO STRATA

WEIGHT	3.2 kg
LENGTHS	51 (20") barrel 89 (35") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF
FINISH	Elite Moss Cerakote™
STOCK	Synthetic Camo Strata
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are not available in this model
SCOPEMOUNT	Bergara® weaver-style rail

CALIBER	TWIST
.223 Rem.	1:8"
6.5 Creedmoor	1:8"
.308 Win.	1:12"

* See page 58 for full specifications



NEW MODEL

THUMBHOLE GREEN

WEIGHT	3.2 kg
LENGTHS	51 (20") barrel 89 (35") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF
FINISH	Matte blued
STOCK	Synthetic Green
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are not available in this model
SCOPEMOUNT	Bergara® weaver-style rail

CALIBER	TWIST
.223 Rem.	1:8"
6.5 Creedmoor	1:8"
.308 Win.	1:12"

* See page 58 for full specifications

NEW MODEL

STANDARD GREEN

WEIGHT	3.2 kg
LENGTHS	51 (20") barrel 89 (35") overall
BARREL	17.8 mm / No. 5 taper Threaded 5/8"-24 UNEF
FINISH	Matte blued
STOCK	Synthetic Green
TRIGGER	Trigger guard actuated breech system 1.8 kg trigger weight
OPEN SIGHTS	Open sights are not available in this model
SCOPEMOUNT	Bergara® weaver-style rail

CALIBER	TWIST
.223 Rem.	1:8"
6.5 Creedmoor	1:8"
.308 Win.	1:12"

* See page 58 for full specifications



BERGARA
ACCESORIES




BERGARA ACCESSORIES



BERGARA STOCKS

BERGARA ACCESSORIES



OMNI MUZZLE BRAKE




B-14R MAGAZINE



BERGARA 0 MOA, 20 MOA, 30 MOA RAIL



DAYPACK BACKPACK



TRAVEL BACKPACK



BERGARA CASE




ST1 MUZZLE BRAKE (SELF TIMING)




BERGARA AICS COMPATIBLE




TACTICAL BOLT KNOB FOR B-14 SERIES



TACTICAL BACKPACK



BINO HARNESS



BERGARA SOFT RIFLE GUNCASE




BERGARA ACCESSORIES




SLINGS




QUAKE SHOOTING BAGS



OPTIC COVER



SWIVELS



STOCKER



ALL TERRAIN SEAT


BERGARA ACCESSORIES



BERGARA CAPS



BERGARA ADAK



PACK 5 PATCHES



BERGARA T-SHIRTS



Visit your local dealer or bergara.dikarcoop.com for the full accessories catalog or scan the QR code besides and get a 10% free in your first order



SPECIFICATIONS

PREMIER SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
PREMIER HIGHLANDER - FLOORPLATE MAGAZINE									
BP315F-65	6.5 Creedmoor	1:8"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	CERAKOTE™	108 cm (42.5")	3.4 kg (7.5 lbs)
BP313F-308	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	CERAKOTE™	98 cm (38.5")	3.3 kg (7.2 lbs)
BP315F-7RM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	109 cm (42.9")	3.4 kg (7.5 lbs)
BP315F-300	.300 Win. Mag.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	109 cm (42.9")	3.5 kg (7.7 lbs)
PREMIER MOUNTAIN 2.0 - FLOORPLATE MAGAZINE									
BP224F-65	6.5 Creedmoor	1:8"	56 cm (22")	15 mm (No. 3)	-	4+1	CERAKOTE™	105 cm (41.3")	2.8 kg (6.1 lbs)
BP224F-308	.308 Win.	1:10"	56 cm (22")	15 mm (No. 3)	-	4+1	CERAKOTE™	105 cm (41.3")	2.8 kg (6.1 lbs)
BP225F-300	.300 Win. Mag.	1:10"	61 cm (24")	15 mm (No. 3)	-	3+1	CERAKOTE™	112 cm (44.1")	2.9 kg (6.4 lbs)
BP225F-65PRC	6.5 PRC	1:8"	61 cm (24")	15 mm (No. 3)	-	2+1	CERAKOTE™	110 cm (43.3")	2.8 kg (6.1 lbs)
BP225F-300PRC	.300 PRC	1:9"	61 cm (24")	15 mm (No. 3)	-	2+1	CERAKOTE™	112 cm (44.1")	2.9 kg (6.4 lbs)
PREMIER HMR PRO - DETACHABLE MAGAZINE									
BP235-65	6.5 Creedmoor	1:8"	61 cm (24")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	112 cm (44.1")	4.3 kg (9.5 lbs)
BP235-65HB	6.5 Creedmoor	1:8"	61 cm (24")	21.2 mm (No. 6)	5/8-24 UNEF	5+1	CERAKOTE™	112 cm (44.1")	4.4 kg (9.7 lbs)
BP233-308	.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	102 cm (40.1")	4.2 kg (9.2 lbs)
BP236-300	.300 Win. Mag.	1:10"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	121 cm (47.6")	4.4 kg (9.7 lbs)
BP235-22250	.22-250 Rem.	1:9"	61 cm (24")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	112 cm (44.1")	4.3 kg (9.5 lbs)
BP236-6C	6mm Creedmoor	1:7.5"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	116 cm (45.7")	4.3 kg (9.5 lbs)
BP236-65PRC	6.5 PRC	1:8"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	116 cm (45.7")	4.3 kg (9.5 lbs)
BP236-300PRC	.300 PRC	1:9"	66 cm (26")	19 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	121 cm (47.6")	4.4 kg (9.7 lbs)

WILDERNESS SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
WILDERNESS TERRAIN - DETACHABLE MAGAZINE									
BW145-65	6.5 Creedmoor	1:8"	61 cm (24")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	114 cm (44.8")	4.2 kg (9.2 lbs)
BW143-308	.308 Win.	1:10"	51 cm (20")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	104 cm (40.9")	4 kg (8.8 lbs)
BW146-300	.300 Win. Mag.	1:10"	66 cm (26")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	122 cm (48")	4.6 kg (10.1 lbs)
BW146-300PRC	.300 PRC	1:9"	66 cm (26")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	122 cm (48")	4.6 kg (10.1 lbs)
BW145-65PRC	6.5 PRC	1:8"	61 cm (24")	19.1 mm (No. 5.5)	5/8-24 UNEF	5+1	CERAKOTE™	114 cm (44.8")	4.2 kg (9.2 lbs)
WILDERNESS HMR - DETACHABLE MAGAZINE									
BW135-65	6.5 Creedmoor	1:8"	61 cm (24")	21.6 mm (No.6)	5/8-24 UNEF	5+1	CERAKOTE™	112 cm (44.1")	4.4 kg (9.7 lbs)
BW133-308	.308 Win.	1:10"	51 cm (20")	21.6 mm (No.6)	5/8-24 UNEF	5+1	CERAKOTE™	102 cm (40.1")	4.3 kg (9.5 lbs)
BW136-300	.300 Win. Mag.	1:10"	66 cm (26")	21.6 mm (No.6)	5/8-24 UNEF	5+1	CERAKOTE™	121 cm (47.6")	4.5 kg (9.9 lbs)
BW136-300PRC	.300 PRC	1:9"	66 cm (26")	21.6 mm (No.6)	5/8-24 UNEF	5+1	CERAKOTE™	121 cm (47.6")	4.5 kg (9.9 lbs)
BW135-65PRC	6.5 PRC	1:8"	61 cm (24")	21.6 mm (No.6)	5/8-24 UNEF	5+1	CERAKOTE™	112 cm (44.1")	4.4 kg (9.7 lbs)
WILDERNESS RIDGE - DETACHABLE MAGAZINE									
BW124-65	6.5 Creedmoor	1:8"	56 cm (22")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	105 cm (41.3")	3.4 kg (7.5 lbs)
BW123-308	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	105 cm (41.3")	3.3 kg (7.2 lbs)
BW125-7RM	7mm Rem. Mag.	1:9.5"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	CERAKOTE™	112 cm (44.1")	3.5 kg (7.7 lbs)
BW125-300	.300 Win. Mag.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	CERAKOTE™	112 cm (44.1")	3.5 kg (7.7 lbs)
WILDERNESS RIDGE - FLOORPLATE MAGAZINE									
BW124F-65	6.5 Creedmoor	1:8"	56 cm (22")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	CERAKOTE™	105 cm (41.3")	3.4 kg (7.5 lbs)
BW123F-308	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	4+1	CERAKOTE™	105 cm (41.3")	3.3 kg (7.2 lbs)
BW125F-7RM	7mm Rem. Mag.	1:9.5"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	112 cm (44.1")	3.5 kg (7.7 lbs)
BW125F-300	.300 Win. Mag.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	112 cm (44.1")	3.5 kg (7.7 lbs)
BW125F-65PRC	6.5 PRC	1:8"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	CERAKOTE™	110 cm (43.3")	3.4 kg (7.5 lbs)
BW125F-300PRC	.300 PRC	1:9"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	2+1	CERAKOTE™	116 cm (45.7")	3.6 kg (7.9 lbs)
WILDERNESS HUNTER - DETACHABLE MAGAZINE									
BW114-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	-	3+1	CERAKOTE™	105 cm (41.3")	3.2 kg (7 lbs)
BW114-308	.308 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	-	3+1	CERAKOTE™	105 cm (41.3")	3.2 kg (7 lbs)
BW115-7RM	7mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	-	2+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BW115-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	-	2+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
WILDERNESS HUNTER - FLOORPLATE MAGAZINE									
BW114F-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	-	4+1	CERAKOTE™	105 cm (41.3")	3.2 kg (7 lbs)
BW114F-308	.308 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	-	4+1	CERAKOTE™	105 cm (41.3")	3.2 kg (7 lbs)
BW115F-7RM	7mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	-	3+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BW115F-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	-	3+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)

SPECIFICATIONS

EXTREME SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
EXTREME SPORTER - DETACHABLE MAGAZINE									
BX122-65	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	3.2 kg (6.8 lbs)
BX122-308	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	97 cm (38.1")	3.1 kg (6.8 lbs)
EXTREME SPORTER - DETACHABLE MAGAZINE - OPEN SIGHTS									
BX122A-65	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	3.2 kg (6.8 lbs)
BX122A-308	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	97 cm (38.1")	3.1 kg (6.8 lbs)
EXTREME SPORTER VIPER WESTERN - DETACHABLE MAGAZINE									
BX122-65V	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	3.2 kg (6.8 lbs)
BX122-308V	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	97 cm (38.1")	3.1 kg (6.8 lbs)
EXTREME HUNTER - DETACHABLE MAGAZINE									
BX112-65	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	3.2 kg (6.4 lbs)
BX112-308	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	2.9 kg (6.4 lbs)
EXTREME HUNTER - DETACHABLE MAGAZINE - OPEN SIGHTS									
BX112A-65	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	3.2 kg (6.4 lbs)
BX112A-308	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	2.9 kg (6.4 lbs)
EXTREME HUNTER VIPER URBAN - DETACHABLE MAGAZINE									
BX112-65V	6.5 Creedmoor	1:8"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	3.2 kg (6.4 lbs)
BX112-308V	.308 Win.	1:10"	46 cm (18")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	95 cm (37.4")	2.9 kg (6.8 lbs)

B14 SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
HMR - DETACHABLE MAGAZINE									
BE145-22250	.22-250 Rem.	1:9"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	4.5 kg (9.9 lbs)
BE145-65	6.5 Creedmoor	1:8"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	4.5 kg (9.9 lbs)
BE146-65	6.5 Creedmoor	1:8"	66 cm (26")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	120 cm (47.2")	4.6 kg (10.1 lbs)
BE145-308	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	4.5 kg (9.9 lbs)
BE146-300	.300 Win. Mag.	1:10"	66 cm (26")	19 mm (No. 5.5)	M15x1	5+1	CERAKOTE™	120 cm (47.2")	4.6 kg (10.1 lbs)
HMR GREEN - DETACHABLE MAGAZINE									
BE144-65G	6.5 Creedmoor	1:8"	56 cm (22")	19 mm (No. 5.5)	M15X1	5+1	CERAKOTE™	110 cm (43.3")	4.3 kg (9.5 lbs)
BE143-308G	.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	M15x1	5+1	CERAKOTE™	105 cm (41.3")	4.1 kg (9 lbs)
BE146-300G	.300 Win. Mag.	1:10"	66 cm (26")	19 mm (No. 5.5)	M15x1	5+1	CERAKOTE™	120 cm (47.2")	4.6 kg (10.1 lbs)
HMR - DETACHABLE MAGAZINE - LEFT HANDED									
BE145-22250Z	.22-250 Rem.	1:9"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	4.5 kg (9.9 lbs)
BE145-65Z	6.5 Creedmoor	1:8"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	4.5 kg (9.9 lbs)
BE146-65Z	6.5 Creedmoor	1:8"	66 cm (26")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	120 cm (47.2")	4.6 kg (10.1 lbs)
BE145-308Z	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	4.5 kg (9.9 lbs)
BE143-308Z	.308 Win.	1:10"	51 cm (20")	19 mm (No. 5.5)	M15x1	5+1	CERAKOTE™	105 cm (41.3")	4.1 kg (9 lbs)
BE146-300Z	.300 Win Mag	1:10"	66 cm (26")	19 mm (No. 5.5)	M15x1	5+1	CERAKOTE™	120 cm (47.2")	4.6 kg (10.1 lbs)
BMP - DETACHABLE MAGAZINE									
BE155-65	6.5 Creedmoor	1:8"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	110 cm (43.3")	5 kg (11 lbs)
BE156-65	6.5 Creedmoor	1:8"	66 cm (26")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	115 cm (45.3")	5.2 kg (11.4 lbs)
BE153-308	.308 Win.	1:10"	51 cm (20")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	100 cm (39.4")	4.9 kg (10.8 lbs)
BE155-308	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	5+1	CERAKOTE™	110 cm (43.3")	5 kg (11 lbs)
BE157-308SV	.308 Win.	1:11"	71 cm (28")	25 mm (0.98)	NO	5+1	CERAKOTE™	120 cm (47.2")	6 kg (13.22 lbs)
SPORTER - DETACHABLE MAGAZINE									
BE124-243	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	110 cm (43.3")	3.3 kg (7.2 lbs)
BE124-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	107 cm (42.1")	3.3 kg (7.2 lbs)
BE124-308	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	107 cm (42.1")	3.3 kg (7.2 lbs)
BE125-65X	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.4 kg (7.5 lbs)
BE125-270	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.4 kg (7.5 lbs)
BE125-3006	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	

SPECIFICATIONS

B14 SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLEDIAMETER	METRICALTHREAD	MAGAZINE CAPACITY	FINISH	OVERALLLENGTH	OVERALL WEIGHT
SPORTER - FLOORPLATE MAGAZINE									
BE124F-243	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	110 cm (43.3")	3.4 kg (7.5 lbs)
BE124F-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
BE124F-308	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
BE125F-65X	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE125F-270	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE125F-3006	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE125F-8X5	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE125F-7RM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE125F-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE125F-338	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	3+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
SPORTER VARMINT - DETACHABLE MAGAZINE									
BE125-22250V	.22-250 Rem.	1:9"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	CERAKOTE™	114 cm (44.8")	3.8 kg (8.3 lbs)
BE125-65V	6.5 Creedmoor	1:8"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	CERAKOTE™	114 cm (44.8")	3.8 kg (8.3 lbs)
BE126-65V	6.5 Creedmoor	1:8"	66 cm (26")	21.2 mm (No. 6)	M18x1	3+1	CERAKOTE™	118 cm (46.4")	3.9 kg (8.6 lbs)
BE125-308V	.308 Win.	1:10"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	CERAKOTE™	114 cm (44.8")	3.8 kg (8.3 lbs)
TIMBER - DETACHABLE MAGAZINE									
BE114-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
BE114-308	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	110 cm (43.3")	3.4 kg (7.5 lbs)
BE115-65X	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115-3006	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE114-3006	.30-06 Spring.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
BE115-8X5	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115-7RM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115-338	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	2+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
BE115-375	.375 H&H Mag.	1:12"	61 cm (24")	21.2 mm (No. 6)	M18x1	2+1	CERAKOTE™	115 cm (45.3")	3.7 kg (8.1 lbs)
TIMBER - DETACHABLE MAGAZINE - LEFT HANDED									
BE114-65Z	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
BE114-308Z	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
BE115-7RMZ	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115-300Z	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115-338Z	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	2+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
TIMBER - FLOORPLATE MAGAZINE									
BE114F-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	110 cm (43.3")	3.4 kg (7.5 lbs)
BE114F-308	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
BE115F-65X	6.5x55 SE	1:8.66"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.6 kg (7.9 lbs)
BE114F-3006	.30-06 Spring.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
BE115F-3006	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.6 kg (7.9 lbs)
BE115F-8X5	8x57 JS	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	115 cm (45.3")	3.6 kg (7.9 lbs)
BE115F-7RM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.6 kg (7.9 lbs)
BE115F-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.6 kg (7.9 lbs)
BE115F-338	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	3+1	CERAKOTE™	110 cm (43.3")	3.5 kg (7.7 lbs)
BE115F-375	.375 H&H Mag.	1:12"	61 cm (24")	21.2 mm (No. 6)	M18x1	3+1	CERAKOTE™	115 cm (45.3")	3.8 kg (8.3 lbs)
TIMBER - FLOORPLATE MAGAZINE - LEFT HANDED									
BE114F-65Z	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
BE114F-308Z	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	107 cm (42.1")	3.4 kg (7.5 lbs)
BE115F-7RMZ	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115F-300Z	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
BE115F-338Z	.338 Win. Mag.	1:10"	61 cm (24")	19.1 mm (No. 5.5)	M15x1	3+1	CERAKOTE™	115 cm (45.3")	3.5 kg (7.7 lbs)
CREST - DETACHABLE MAGAZINE									
BE163-308	.308 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	105 cm (41.1")	3.1 kg (6.9 lbs)
BE163-65	6.5 Creedmoor	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	105 cm (41.1")	3.1 kg (6.9 lbs)
BE165-308	.308 Win.	1:10"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	115 cm (45.3")	3.3 kg (7.3 bs)
BE165-65	6.5 Creedmoor	1:8"	61 cm (24")	17.8 mm (No. 5)	5/8-24 UNEF	3+1	CERAKOTE™	115 cm (45.3")	3.3 kg (7.3 bs)

SPECIFICATIONS

B14 SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	METRICAL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
HUNTER - DETACHABLE MAGAZINE									
BE134-243	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	107 cm (42.1")	3.2 kg (7 lbs)
BE134-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	105 cm (41.3")	3.1 kg (6.8 lbs)
BE134-308	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	107 cm (42.1")	3.2 kg (7 lbs)
BE135-270	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BE135-3006	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BE135-7RM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BE135-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	2+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
HUNTER - FLOORPLATE MAGAZINE									
BE134F-243	.243 Win.	1:10"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	107 cm (42.1")	3.2 kg (7 lbs)
BE134F-65	6.5 Creedmoor	1:8"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	105 cm (41.3")	3.2 kg (7 lbs)
BE134F-308	.308 Win.	1:12"	56 cm (22")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	107 cm (42.1")	3.2 kg (7 lbs)
BE135F-270	.270 Win.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BE135F-3006	.30-06 Spring.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	4+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BE135F-7RM	7 mm Rem. Mag.	1:9.5"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)
BE135F-300	.300 Win. Mag.	1:10"	61 cm (24")	16.6 mm (No. 4)	M14x1	3+1	CERAKOTE™	112 cm (44.1")	3.3 kg (7.2 lbs)

RIMFIRE SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	MAGAZINE CAPACITY	FINISH	OVERALL LENGTH	OVERALL WEIGHT
B14-R TRAINER CARBON									
BR142-22LR	.22LR	1:16"	46 cm (18")	23.2 mm	1/2-28	10	Carbon fiber	96 cm (37.8")	3.7 kg (8.1 lbs)
BR142-22LRZ	.22LR(Lefthanded)	1:16"	46 cm (18")	23.2 mm	1/2-28	10	Carbon fiber	96 cm (37.8")	3.7 kg (8.1 lbs)
BR143-17HMR	.17HMR	1:9"	51 cm (20")	23.2 mm	1/2-28	10	Carbon fiber	101 cm (39.7")	3.8 kg (8.4 lbs)
BR143-22W	.22WMR	1:16"	51 cm (20")	23.2 mm	1/2-28	10	Carbon fiber	101 cm (39.7")	3.8 kg (8.4 lbs)
BARRELED ACTION - TRAINER CARBON									
BRA142-22LR	.22LR	1:16"	46 cm (18")	23.2 mm	1/2-28	10	Carbon fiber	-	-
BRA142-22LRZ	.22LR(Lefthanded)	1:16"	46 cm (18")	23.2 mm	1/2-28	10	Carbon fiber	-	-
B14-R TRAINER STEEL									
BR132-22LR	.22LR	1:16"	46 cm (18")	22 mm	1/2-28	10	Matte blued	96 cm (37.8")	4.1 kg (9 lbs)
BR132-22LRZ	.22LR(Lefthanded)	1:16"	46 cm (18")	22 mm	1/2-28	10	Matte blued	96 cm (37.8")	3.7 kg (8.1 lbs)
BR133-17HMR	.17HMR	1:9"	51 cm (20")	22 mm	1/2-28	10	Matte blued	101 cm (39.7")	4.2 kg (9.2 lbs)
BR133-22W	.22WMR	1:16"	51 cm (20")	22 mm	1/2-28	10	Matte blued	101 cm (39.7")	4.2 kg (9.2 lbs)
BARRELED ACTION - TRAINER STEEL									
BRA132-22LR	.22LR	1:16"	46 cm (18")	22 mm	1/2-28	10	Matte blued	-	-
BRA132-22LRZ	.22LR(Lefthanded)	1:16"	46 cm (18")	22 mm	1/2-28	10	Matte blued	-	-
BMR CARBON									
BR162-22LR	.22LR	1:16"	46 cm (18")	23.2 mm	1/2-28	5 and 10	Carbon fiber	92 cm (36.2")	2.3 kg (5 lbs)
BR163-22W	.22WMR	1:16"	51 cm (20")	23.2 mm	1/2-28	5 and 10	Carbon fiber	97 cm (38.1")	2.4 kg (5.4 lbs)
BR163-17HMR	.17HMR	1:9"	51 cm (20")	23.2 mm	1/2-28	5 and 10	Carbon fiber	97 cm (38.1")	2.4 kg (5.4 lbs)
BMR STEEL									
BR152-22LR	.22LR	1:16"	46 cm (18")	16.6 mm	1/2-28	5 and 10	Matte blued	92 cm (36.2")	2.5 kg (5.5 lbs)
BR153-22W	.22WMR	1:16"	51 cm (20")	16.6 mm	1/2-28	5 and 10	Matte blued	97 cm (38.1")	2.6 kg (5.7 lbs)
BR153-17HMR	.17HMR	1:9"	51 cm (20")	16.6 mm	1/2-28	5 and 10	Matte blued	97 cm (38.1")	2.5 kg (5.5 lbs)
BXR CARBON									
BR121-22LR	.22LR	1:16"	42 cm (16.5")	23.2 mm	1/2-28	10	Carbon fiber	88 cm (34.6")	2.1 kg (4.6 lbs)
BXR STEEL									
BR111-22LR	.22LR	1:16"	42 cm (16.5")	22 mm	1/2-28	10	Matte blued	88 cm (34.6")	2.3 kg (5 lbs)

SPECIFICATIONS

BA13 TAKE DOWN SERIES RIFLES

ITEM #	CALIBER	TWIST	BARREL LENGTH	MUZZLE DIAMETER	BARREL THREAD	OVERALL LENGTH	OVERALL WEIGHT
BA13 THUMBHOLE - BLUED							
BA123-222	.222 Rem.	1:14"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-243	.243 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA121-300B	.300 BLACKOUT	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	3 kg (6.6 lbs)
BA122-300B	.300 BLACKOUT	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
BA121-308	.308 Win.	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	3 kg (6.6 lbs)
BA123-308	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA122-308	.308 Win.	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
BA123-3006	.30-06 Spring.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-4570	.45-70 Govt.	1:20"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-8X5	8X57 JRS	1:9.5"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 THUMBHOLE CAMO STRATA - CERAKOTE™							
BA123-223ST	.223 REM	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-65ST	6,5 Creedmoor	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-308ST	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 THUMBHOLE GREEN - BLUED							
BA123-223G	.223 REM	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-65G	6,5 Creedmoor	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA123-308G	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 THUMBHOLE - STAINLESS STEEL							
BA123-308S	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 STANDARD - BLUED - OPEN SIGHTS							
BA113A-222	.222 Rem.	1:14"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA113A-243	.243 Win.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
BA113A-308	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
BA113A-3006	.30-06 Spring.	1:10"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
BA113A-4570	.45-70 Govt.	1:20"	51 cm (20")	19 mm (No. 5.5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
BA113A-8X5	8x57 JRS	1:9.5"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 STANDARD - BLUED							
BA111-300B	.300 BLACKOUT	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	2.9 kg (6.4 lbs)
BA112-300B	.300 BLACKOUT	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
BA111-308	.308 Win.	1:8"	42 cm (16.5")	17.8 mm (No. 5)	5/8-24 UNEF	80 cm (31.5")	2.9 kg (6.4 lbs)
BA112-308	.308 Win.	1:8"	46 cm (18")	17.8 mm (No. 5)	5/8-24 UNEF	84 cm (33")	3.1 kg (6.8 lbs)
BA13 STANDARD - STAINLESS STEEL							
BA113-308S	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
BA13 STANDARD - STAINLESS STEEL - OPEN SIGHTS							
BA113A-308S	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.1 kg (6.8 lbs)
BA13 STANDARD CAMO STRATA - CERAKOTE™							
BA113-223ST	.223 Rem.	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA113-65ST	6,5 Creedmoor	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA113-308ST	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA13 STANDARD GREEN - BLUED							
BA113-223G	.223 Rem.	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA113-65G	6,5 Creedmoor	1:8"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)
BA113-308G	.308 Win.	1:12"	51 cm (20")	17.8 mm (No. 5)	5/8-24 UNEF	89 cm (35")	3.2 kg (7 lbs)


Bergara makes every effort to ensure that the information in this catalog is correct and accurate. However, continuous product refinements and design changes may result in revisions to models that may not be shown in this brochure. We reserve the right to make changes in specifications, models, features, materials, and colors at any time. Any and all errors in descriptions, and photos are subject to correction. Local laws and regulations may affect items in this catalog.

No part of this catalog may be reproduced without the express authorization of BERGARA.
All rights reserved. 2022.

DISCOVER OUR
LIMITED EDITIONS THROUGH 2022



STAY TUNED



B BERGARA
OUR BARRELS MAKE THE DIFFERENCE