




2023 INTERNATIONAL PRODUCT LINEUP







With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.


| PREMIER SERIES              | 8         |
|-----------------------------|-----------|
| HMR Pro                     | 12        |
| Mountain 2.0                | 13        |
| B-14 <sup>2</sup> SERIES    | 14        |
| Crest                       | 18        |
| B-14 WILDERNESS SERIES      | 20        |
| Wilderness Thumbhole Carbon | 24        |
| Wilderness Thumbhole        | 25        |
| Wilderness HMR Carbon       | 26        |
| Wilderness HMR              | 27        |
| Wilderness Ridge Carbon     | 28        |
| Wilderness Ridge            | 29        |
| Wilderness Terrain          | 30        |
| Wilderness Hunter           | 31        |
| B-14 EXTREME SERIES         | <i>32</i> |
| Extreme Hunter              | 36        |
| Extreme Sporter             | 37        |
| Extreme Hunter Urban        | 38        |
| Extreme Sporter Western     | 39        |
| B-14 SERIES                 | 40        |
| HMR                         | 44        |
| Sporter                     | 45        |
| Timber                      | 46        |
| Hunter                      | 47        |
| BA13 SERIES                 | 48        |
| TD Black                    | 52        |
| TD Strata                   | 54        |
| TD Green                    | 56        |
| RIMFIRE SERIES              | <i>57</i> |
| B-14R Trainer               | 62        |
| BMR                         | 64        |
| SHOOTING BARRELED ACTION    | 66        |
| ACCESSORIES                 | 68        |
| SPECIFICATIONS              | 69        |

# MADE IN OUR FACILITIES









#### STEP 1 BARREL STRAIGHTENING

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

#### STEP 2 DEEP HOLE DRILLING

The bar then moves on to a four spindle deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

#### STEP 3 BARREL HONING

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

#### STEP 4 BUTTON RIFLING

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. It's the same result that many gunsmiths accomplish by hand lapping.

#### STEP 5 STRESS RELIEVING

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.

# PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

#### FEATURES

#### **BERGARA PREMIER ACTION** • Premium stainless steel with Cerakote® finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments · Cone-shaped bolt nose assures smooth feeding Sliding plate extractor • All new models feature a dual ejector • 1-piece stainless steel bolt body with threaded-in bolt handle • 90° bolt throw angle • Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without **BERGARA BARREL** • Made from premium carbon fiber or stainless steel Carbon fiber or Cerakote<sup>®</sup> finish • Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition TRIGGER • Externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment SAFETY MECHANISMS • The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position

Non-rotating gas shield behind the bolt head protects the shooter from gas

and debris in the event of a case or primer rupture









# JOE EDLINGTON // MOUNTAIN 2.0

In New Zealand we have wilderness that is true to its name, it's wild, it's tough, and it's unforgiving on your physical wellbeing and the gear you decide to bring with you.

I spend over 6 months of the year hunting in the most wild and remote areas. I search for a wide variety of 'bucket list' game species that are high on the list for many hunters worldwide.

I bring my Bergara Mountain 2.0 on these expeditions. It's ultra-lightweight design and attention to detail for its build quality and components are what make this rifle 'my choice' for the big wilderness hunts I do.

Correct gear choice is paramount for these types of hunts. I have complete faith in the Mountain 2.0 performing for me when I need it most.









# HMR PRO // HUNTING & MATCH

WEIGHT

starting at 4.2 kg (9.3 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 51 cm (20") - 66 cm (26") barrel lengths

#### **FINISH**


Tactical Gray Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable







.22-250 6 CREEDMOOR 6.5 CREEDMOOR 6.5 PRC .308 WIN .300 WIN MAG



#### **MOUNTAIN 2.0**

#### WEIGHT

starting at sub-MOA 2.8 kg (6.2 lbs)

Guaranteed

**ACCURACY** 

#### BARREL

410 stainless steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**

Tactical Gray Cerakote®

#### STOCK

AG Composite 100% carbon fiber

#### MAGAZINE

Hinged Floor Plate





CALIBERS

6.5 PRC | .308 WIN | .270 WIN | .300 WIN MAG



# **B-14<sup>2</sup> SERIES**

THE NEW B-142 CONCEPT STANDS FOR ADDING A PROPRIETARY DEVELOPMENT OF A CARBON FIBER MONOCOQUE STOCK. CREATED 100% IN CARBON FIBER, THIS STOCK HAS AN INTERNAL STRUCTURE THAT PROVIDES GREATER RIGIDITY AND STRENGTH, MAKING IT NEARLY INDESTRUCTABLE.

FEATURING THIS NEW STOCK, OUR B-14 ACTION AND OUR WELL-KNOWN BARRELS, WE'VE BLENDED ALL THE ADVANTAGES OF THE B-14 MODEL SERIES CONVERGING INTO SOMETHING UNIQUE, WHICH WE HAVE CALLED B-14 SQUARED.

#### FEATURES

#### BERGARA B-14 ACTION • Spring-loaded ejector

- Side-mounted bolt stop
- Fluted, 4140 chromoly steel, one piece bolt body
- 90° bolt throw angle
- Cone-shaped bolt nose ejector assures smooth feeding
- Sliding plate extractor
- · Hinged floor plate or detachable magazine
- Cerakoted® Sniper Grey

#### **BERGARA BARREL**

- Made from 4140 CrMo steel
- Sniper Grey Cerakote<sup>®</sup>
- Sub MOA accuracy guaranteed

#### TRIGGER

Adjustable Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

STOCK

• 100% Carbon Fiber Monocoque stock with carbon spine





# SPOTIIGHT


#### PEDRO AMPUERO // CREST

#### GREDOS, SPAIN IBEX

Some of us feel a huge attraction to traveling around the world and discovering new countries, new species, and new cultures. Spain is one of the most amazing destinations for hunting. The hunting tradition and passion of my home country is what brings hunters all around the world every year.

We have to go through a lot to get the opportunity we have been searching for, and after investing a lot of time and effort there is nothing worse than questioning your shot, or doubting if the rifle was able to handle all that beating.

I have always looked at my rifle as another piece of equipment, it can not fail. The rifle is there to help me, not to give me more problems than the ones I have. When you find out about the rifle manufacturing tradition of Spain, and the background building precise and reliable rifles of Bergara, that doubt goes away, and you trust it like it was your own rifle.













# **CREST**

WEIGHT

starting at 3.1 kg (6.8 lbs) **ACCURACY** sub-MOA

Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 61 cm (22") barrel lengths

#### FINISH

Sniper Gray Cerakote®

#### STOCK

100% Carbon Fiber Monocoque stock with Carbon Spine


#### MAGAZINE

AICS Style Detachable





CALIBERS





THE B-14 WILDERNESS SERIES® EMBODY PURE PERFORMANCE. REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING IN TO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACK COUNTRY, TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.

#### FEATURES

#### BERGARA B-14 ACTION • Spring-loaded ejector

- Side-mounted bolt stop
- Fluted, 4140 CrMo steel, one piece bolt body
- 90° bolt throw angle
- Cone-shaped bolt nose ejector assures smooth feeding
- Sliding plate extractor
- · Hinged floor plate or detachable magazine
- Sniper Grey Cerakote®

#### **BERGARA BARREL**

- Made from 4140 CrMo steel
- Sniper Grey Cerakote<sup>®</sup>
- Sub MOA accuracy guarantee

#### TRIGGER

Adjustable Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.


STOCK

• Bergara's hand-painted camouflage













# SPOTLIGHT

#### BRIAN STEPHENS // WILDERNESS HMR CF

#### TEXAS AUODAD

Just a few miles from the Mexico border I was introduced to a terrain so challenging, yet beautiful. I had not yet hunted Aoudad, and found myself walking for miles, climbing cliffs, slipping and falling at times trying to get to this shooter Aoudad we had seen.

Through this rugged environment I noticed just how tough this rifle is, along with how well it carried on my shoulder.

When we finally got to within 200 yards of this big ram, I squeezed the trigger. I knew that bullet was going to hit its target.



#### THUMBHOLE CARBON

#### WEIGHT

starting at 3 kg (6 lbs)

#### **ACCURACY**

sub-MOA Guaranteed

#### BARREL

Carbon Barrel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Hand-painted Thumbhole Synthetic Stock with a rubberized grip

#### MAGAZINE

AICS Style Detachable









6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG



#### THUMBHOLE

#### WEIGHT

starting at 3.3 kg (7.2 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Hand-painted Thumbhole Synthetic Stock with a rubberized grip

#### MAGAZINE

AICS Style Detachable





.243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG



#### HMR CARBON

#### WEIGHT

starting at 3.4 kg (7.5 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

Carbon Barrel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable







#### **HMR**

#### WEIGHT

starting at 4.3 kg (9.5 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 66 cm (26") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable





6.5 CREEDMOOR | 6.5 PRC | .308 WIN | .300 WIN MAG | .300 PRC



**CALIBERS** 

6.5 CREEDMOOR 6.5 PRC .308 WIN .300 WIN MAG

#### RIDGE CARBON

#### WEIGHT

starting at 2.9 kg (6.5 lbs) ACCURACY sub-MOA Guaranteed

#### BARREL

Carbon Barrel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable







#### RIDGE

#### WEIGHT

starting at 3.3 Kg (7.4 lbs) ACCURACY sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 61 cm (24") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable





6.5 CREEDMOOR | 6.5 PRC | .308 WIN | 7MM REM MAG | .300 WIN MAG | .300 PRC

CALIBERS

6.5 CREEDMOOR 6.5 PRC .308 WIN .300 WIN MAG



#### **TERRAIN**

#### WEIGHT

starting at 4 kg (8.9 lbs)

#### **ACCURACY**

sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 51 cm (20") - 66 cm (26") barrel lengths

#### **FINISH**

Sniper Gray Cerakote®


#### STOCK

Bergara Terrain molded with mini chassis and SoftTouch finish

#### MAGAZINE

AICS style









#### **WEIGHT**

starting at 3.2 kg (7.2 lbs)

#### **ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**


Sniper Gray Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE


Hinged floor plate and detachable



**CALIBERS** 

6.5 CREEDMOOR .308 WIN 7MM REM MAG .300 WIN MAG









#### FEATURES

# Spring-loaded ejector Side-mounted bolt stop One-piece body with two locking lugs 90° bolt throw angle Cone-shaped bolt nose ejector - assures smooth feeding Sliding plate extractor Detachable magazine BERGARA BARREL Made from 410 ISI stainless steel Graphite Black Cerakote® / Stainless Grey Cerakote® / Coyote Tan Cerakote® Sub MOA accuracy guarantee TRIGGER Adjustable Bergara Performance Trigger

• The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.







# MARTIN BIE-ERICHSEN // EXTREME HUNTER NORWAY GOOSE

We arrived at the fields as the sun was rising and spotted the first geese of the day, grassing at the edge of a large field. My son knew the drill as he tagged along for this hunt.

We positioned ourselves under some pines. The goose is only 95 meters, a comfortable distance for such a small target. Especially when we are used to taking these shots at 180 meters or further. I rig my B14 Extreme up and warn my 2-year-old that a shot is coming. Everything felt right.

It might just be a goose, but the conversation with my son as we walked towards our kill, made it feel like we just shot the stag of our lifetime.











### **HUNTER**

#### WEIGHT

starting at 2.9 kg (6.4 lbs)

#### **ACCURACY**

sub-MOA Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Stainless Grey Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Detachable







6.5 CREEDMOOR .308 WIN





### **SPORTER**

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### **ACCURACY** sub-MOA

Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

Monte Carlo style synthetic with SoftTouch finish

#### MAGAZINE

Detachable





6.5 CREEDMOOR .308 WIN



#### **HUNTER VIPER URBAN**

#### WEIGHT starting at

2.9 kg (6.4 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

American-style synthetic with SoftTouch finish

#### MAGAZINE

Detachable







6.5 CREEDMOOR .308 WIN



#### SPORTER VIPER WESTERN

#### WEIGHT starting at

3.1 kg (6.8 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

410 stainless steel 46 cm (18") barrel

#### **FINISH**

Coyote Tan Cerakote®

#### STOCK

Montecarlo synthetic with SoftTouch finish

#### MAGAZINE

Detachable





**CALIBERS** 

6.5 CREEDMOOR .308 WIN







THE B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT EXTREMELY AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

#### FEATURES

#### BERGARA B-14 ACTION • Spring-loaded ejector

- Side-mounted bolt stop
- One-piece body with two locking lugs
- 90° bolt throw angle
- Cone-shaped bolt nose ejector assures smooth feeding
- Sliding plate extractor
- Hinged floor plate or detachable magazine

#### BERGARA BARREL

- Made from 4140 CrMo steel
- Graphite Black Cerakote<sup>®</sup>
- Sub MOA accuracy guarantee

#### TRIGGER

Bergara Performance Trigger

**SAFETY MECHANISMS** • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.



# SPOTLIGHT

#### NICK TREHEARNE // B-14 HMR

#### ALBERTA COYOTE

When winter hits in Canada, it's time to help the deer out and we switch to predator control. The harsh winter climates are hard enough on the deer as it is. This is a task that we don't take lightly and that's why we rely on the Bergara B–14 in a 22–250. It was –20 to –30°C during the day and when the dogs came into the call, we didn't want to mess up an opportunity. It was hard enough on us being out there as it is. That's why we trust Bergara – any dog that came into the call didn't have a chance.











### HMR // HUNTING & MATCH RIFLE

#### WEIGHT

starting at 4.3 kg (9.7 lbs)

#### **ACCURACY**

sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 61 cm (24") - 66 cm (26") barrel lengths

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

Bergara HMR molded with mini-chassis

#### MAGAZINE

AICS Style Detachable







**CALIBERS** 

.22-250



#### **SPORTER**

#### WEIGHT

3.3 kg (7.3 lbs)

#### **ACCURACY**

sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

Monte Carlo style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable





.243 WIN | 6.5 CREEDMOOR | .308 WIN | 6.5X55 SE | .270 WIN | .30-06 SPRG | 7MM REM MAG | .300 WIN MAG | .338 WIN MAG





**ACCURACY** sub-MOA

Guaranteed

#### BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

#### **FINISH**

Graphite Black Cerakote®

#### STOCK

.243 WIN

6.5 CREEDMOOR

Monte Carlo style walnut

#### MAGAZINE

Hinged floor plate and detachable

#### **HUNTER**

#### WEIGHT

starting at 3.1 kg (7.1 lbs)

**ACCURACY** sub-MOA Guaranteed

#### BARREL

4140 CrMo Steel 56 cm (22") - 61 cm (24") barrel lengths

#### FINISH

Graphite Black Cerakote®

#### STOCK

American style synthetic with SoftTouch finish

#### MAGAZINE

Hinged floor plate and detachable



.300 WIN MAG .375 H&H

**CALIBERS** 

.308 WIN

6.5X55 SE .270 WIN .30-06 SPRG 7MM REM MAG



.243 WIN 6.5 CREEDMOOR .308 WIN .270 WIN .30-06 SPRG 7MM REM MAG .300 WIN MAG





FOR THE HUNTER WHO WANTS A HIGH-QUALITY SINGLE SHOT RIFLE, THE BA13 TAKE DOWN IS THE IDEAL CHOICE. OUR BA13 TAKE DOWN RANGE IS A POPULAR CHOICE FOR MOUNTAIN HUNTING. ITS EXCELLENT MANEU-VERABILITY AND PRECISION MAKE THE BA13 TD SINGLE SHOOT RIFLE AN OPTIMAL PERFORMANCE FOR A STALKING RIFLE.

#### FEATURES

**BERGARA ACTION** 

- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

**BERGARA BARREL** 

- Fluted Bergara Barrel
- Matte Blued / Elite Moss Cerakote<sup>®</sup>
- 4140 CrMo blued steel or 410 AISI stainless steel

**SAFETY MECHANISMS** • Compact Synthetic design or Thumbhole stock in black color, Strata camo or green colour





# SPOTLIGHT

#### AL LOUANGKETH // BA13 THUMBHOLE

#### BLACK FOREST, GERMANY BOAR

The morning sun was slowly evaporating the moisture from the ground, creating a foggy mist that was getting thick around me, suddenly I heard some twigs snapping in the thick pine groves.

The cautious snapping of the twigs tells me it was moving to a small clearing. I gently picked up my BA13 and eased to a comfortable shooting position. Suddenly, I noticed a dark shadow appearing out of the thick pine. There he is! One of the biggest boars I've ever seen in my forest coming out into the clearing thirty meters away!

I pulled the hammer back on my BA13. Just as he stopped, he dropped when the hammer fell. The Black Forest beast laid still at my feet.









#### TD THUMBHOLE

#### WEIGHT

2.9 kg (6.4 lbs)

#### BARREL

4140 CrMo Steel 42 cm (16.5") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

Thumbhole Synthetic black


#### SCOPE MOUNT

Weaver style aluminium rail









#### TD STANDARD

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

4140 CrMo Steel 42 cm (16.5") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

Synthetic black

#### SCOPE MOUNT

Weaver style aluminium rail





**CALIBERS** 

.222 REM | .243 WIN | .308 WIN | .30-06 SPRG | .45-70 GOVT | .8X57 JRS | .300 BLACKOUT

**CALIBERS** 

.222 REM | .243 WIN | .308 WIN | .30-06 SPRG | .45-70 GOVT | .8X57 JRS | .300 BLACKOUT

#### TD THUMBHOLE STRATA

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

4140 CrMo Steel 51 cm (20") barrel length

#### **FINISH**


Elite Moss Cerakote®


#### STOCK

Thumbhole Synthetic camo strata

#### SCOPE MOUNT

Weaver style steel rail





#### TD STANDARD STRATA

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

4140 CrMo Steel 51 cm (20") barrel length

#### **FINISH**

Elite Moss Cerakote®

#### STOCK

Synthetic camo strata

#### SCOPE MOUNT

Weaver style steel rail





223 REM | 6.5 CREEDMOOR | .308 WIN

---- CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN



#### TD THUMBHOLE GREEN

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

410 stainless steel 51 cm (20") barrel length


#### STOCK

Thumbhole Synthetic green

#### SCOPE MOUNT

Weaver style aluminium rail







#### TD STANDARD GREEN

#### WEIGHT

starting at 3.1 kg (6.8 lbs)

#### BARREL

410 stainless steel 51 cm (20") barrel length

#### STOCK

Synthetic green

#### SCOPE MOUNT

Weaver style aluminium rail





.223 REM 6.5 CREEDMOOR .308 WIN

CALIBERS

.223 REM | 6.5 CREEDMOOR | .308 WIN







MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.

#### FEATURES

**PROPRIETARY RIMFIRE** • Specialty rimfire actions ACTIONS Match Grade chambers Detachable magazines • Left-Handed Available on B–14R **BERGARA BARREL**  Made from 4140 CrMo Steel Matte blued finish Carbon barrel options available TRIGGER Bergara Performance Trigger STOCK • Bergara HMR stock, Adjustable cheek, Free-floated (B-14R) • QD Cups and Swivels (BMR Swivel only)









#### LEWIS MACFARLANE // BMR CARBON

#### UNITED KINGDOM SQUIRREL

With the colder winter days here, the squirrels are foraging for winter stores. This is one of the best times of year to garner their interest in the squirrel feeders.

I generally top them off with a variety of nuts and maize mix, overlooked by a popup blind some 50 yards away. These are a great bit of kit to stay comfortable and hidden from the squirrels.

Once they get used to the food source and the blind, which is set up a day or two before, all I need do is slip into the blind before first light, load up the BMR, sip some coffee and wait patiently for the squirrels to arrive.







#### **B-14R** // CARBON

#### WEIGHT

starting at 3.6 kg (8.1 lbs)

10 Rounds

#### BARREL

Carbon Barrel 46 cm (18") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

Bergara HMR stock

#### MAGAZINE

AICS Style Detachable









#### **B-14R** // STEEL

#### WEIGHT

starting at 4.1 kg (9.2 lbs)

#### CAPACITY

magazine fed 10 Rounds

#### BARREL

4140 CrMo Steel 46 cm (18") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

Bergara HMR stock

#### MAGAZINE

AICS Style Detachable



**CALIBERS** 

**CALIBERS** .22 LR .22 WMR .17 HMR

.22 LR .22 WMR .17 HMR



#### BMR // CARBON

#### WEIGHT

starting at 2.3 kg (5 lbs)

#### CAPACITY

magazine fed 5 & 10 Rounds

#### BARREL

Carbon Barrel 46 cm (18") - 51 cm (20") barrel lengths

#### **FINISH**

Matte blued

#### STOCK

BMR stock

#### MAGAZINE

AICS Style Detachable







#### BMR // STEEL

#### WEIGHT

starting at 2.5 kg (5.5 lbs)

#### CAPACITY

magazine fed 5 & 10 Rounds

#### **BARREL**

4140 CrMo Steel 46 cm (18") - 51 cm (20") barrel length

#### **FINISH**

Matte blued

#### STOCK

BMR stock

#### MAGAZINE

AICS Style Detachable



**CALIBERS** 

.22 LR .22 WMR .17 HMR

CALIBERS

.22 LR .22 WMR .17 HMR



# BARRELED ACTION // SHOOTING

#### WEIGHT

starting at 3.6 kg (7.9 lbs) CAPACITY magazine fed 10 Rounds

#### BARREL

410 stainless steel 66 cm (26") barrel length

#### MAGAZINE

AICS Style Detachable







# **BARRELED ACTION** // RIMFIRE SHOOTING

#### WEIGHT

3.4 kg (7.5 lbs)

CAPACITY magazine fed 10 Rounds

#### BARREL

410 stainless steel 51 cm (20") barrel length

#### MAGAZINE

AICS Style Detachable



**CALIBERS** 

6 MM CREEDMOOR 6.5 CREEDMOOR .308 WIN

CALIBER

.22 LR

# BERGARA ACCESSORIES ACCESSORIES



OMNI MUZZLE BRAKE



**BERGARA AICS MAGAZINES** 



**BERGARA RAIL** Fits Rem  $700^{\circ}$  with 6–48 and 8–40 screws



**B-14R MAGAZINE** 



BERGARA EDC BACKPACK



BERGARA SOFT RIFLE GUNCASE



QUAKE SLINGS




#### PREMIER SERIES RIFLES

\*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Tactical Grey Cerakote®

|                   | 33                            |                |               |                |                   |               |                   |            |          |
|-------------------|-------------------------------|----------------|---------------|----------------|-------------------|---------------|-------------------|------------|----------|
| Reference         | Caliber                       | Twist          | Barrel Length | Overall Length | Muzzle Diameter   | Barrel Thread | Overall Weight    | Magazine   | Capacity |
| HMR PRO *Feature  | a Bergara HMR molded stock    | with mini-chas | sis           |                |                   |               |                   |            |          |
| BP235-22250       | .22-250 Rem.                  | 1:9"           | 61 cm (24")   | 112 cm (44")   | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,3 Kg (9.5 lbs)  | DETACHABLE | 5+1      |
| BP236-6C          | 6 Creedmoor                   | 1:7,5"         | 66 cm (26")   | 112 cm (44")   | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,3 Kg (9.5 lbs)  | DETACHABLE | 5+1      |
| BP235-65          | 6,5 Creedmoor                 | 1:8"           | 61 cm (24")   | 112 cm (44")   | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,3 Kg (9.5 lbs)  | DETACHABLE | 5+1      |
| BP235-65HB        | 6,5 Creedmoor                 | 1:8"           | 61 cm (24")   | 112 cm (44")   | 21.5 mm (No. 6)   | 5/8-24 UNEF   | 4,44 Kg (9.8 lbs) | DETACHABLE | 5+1      |
| BP236-65PRC       | 6,5 PRC                       | 1:8"           | 66 cm (26")   | 117 cm (46")   | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,39 Kg (9.7 lbs) | DETACHABLE | 5+1      |
| BP233-308         | .308 Win                      | 1:10"          | 51 cm (20")   | 103 cm (40")   | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,21 Kg (9.3 lbs) | DETACHABLE | 5+1      |
| BP236-300         | .300 Win Mag                  | 1:10"          | 66 cm (26")   | 121 cm (47.5") | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,44 Kg (9.8 lbs) | DETACHABLE | 5+1      |
| BP236-300PRC      | .300 PRC                      | 1:9"           | 66 cm (26")   | 121 cm (47.5") | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 4,44 Kg (9.8 lbs) | DETACHABLE | 5+1      |
| MOUNTAIN 2.0 *Fea | ature a 100% carbon-fiber sto | ck             |               |                |                   |               |                   |            |          |
| BP224F-243        | .243 Win                      | 1:10"          | 56 cm (22")   | 105 cm (41.5") | 15 mm (No. 3)     | -             | 2,81 Kg (6.2 lbs) | FLOORPLATE | 4+1      |
| BP224F-65         | 6,5 Creedmoor                 | 1:8"           | 56 cm (22")   | 105 cm (41.5") | 15 mm (No. 3)     | -             | 2,81 Kg (6.2 lbs) | FL00RPLATE | 4+1      |
| BP225F-65PRC      | 6,5 PRC                       | 1:8"           | 61 cm (24")   | 110 cm (43.5") | 15 mm (No. 3)     | -             | 2,85 Kg (6.3 lbs) | FL00RPLATE | 2+1      |
| BP224F-308        | .308 Win                      | 1:10"          | 56 cm (22")   | 105 cm (41.5") | 15 mm (No. 3)     | -             | 2,81 Kg (6.2 lbs) | FL00RPLATE | 4+1      |
| BP224F-270        | .270 Win                      | 1:10"          | 56 cm (22")   | 105 cm (41.5") | 15 mm (No. 3)     | -             | 2,81 Kg (6.2 lbs) | FL00RPLATE | 4+1      |
| BP225F-300        | .300 Win Mag                  | 1:10"          | 61 cm (24")   | 112 cm (44")   | 15 mm (No. 3)     | -             | 2,9 Kg (6.4 lbs)  | FL00RPLATE | 3+1      |
|                   |                               |                |               |                |                   |               |                   |            |          |

B-14<sup>2</sup> SERIES RIFLES
\*B-14<sup>2</sup> Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

|                    | · ·                        |                   |                  |                |                 |               |                   |                 |          |
|--------------------|----------------------------|-------------------|------------------|----------------|-----------------|---------------|-------------------|-----------------|----------|
| Reference          | Caliber                    | Twist             | Barrel Length    | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight    | Magazine        | Capacity |
| CREST *Feature a 1 | 00% carbon fiber monocoque | e stock and insta | alled Omni Brake |                |                 |               |                   |                 |          |
| BE163-243          | .243 Win                   | 1:10"             | 51 cm (20")      | 103 cm (40")   | 17.5 mm (No. 5) | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  | AICS COMPATIBLE | 5+1      |
| BE163-65           | 6,5 Creedmoor              | 1:8"              | 51 cm (20")      | 103 cm (40")   | 17.5 mm (No. 5) | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  | AICS COMPATIBLE | 5+1      |
| BE163-65PRC        | 6,5 PRC                    | 1:8"              | 51 cm (20")      | 103 cm (40")   | 17.5 mm (No. 5) | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  | AICS COMPATIBLE | 5+1      |
| BE163-308          | .308 Win                   | 1:10"             | 51 cm (20")      | 103 cm (40")   | 17.5 mm (No. 5) | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  | AICS COMPATIBLE | 5+1      |
| BE165-7RM          | 7mm Rem Mag                | 1:9,5"            | 61 cm (24")      | 113 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF   | 3,26 Kg (7.2 lbs) | AICS COMPATIBLE | 5+1      |
| BE165-300          | .300 Win Mag               | 1:10"             | 61 cm (24")      | 113 cm (44.5") | 17.5 mm (No. 5) | 5/8-24 UNEF   | 3,26 Kg (7.2 lbs) | AICS COMPATIBLE | 5+1      |



B-14 WILDERNESS SERIES® RIFLES
\*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

| Reference                             | Caliber                       | Twist             | Barrel Length              | Overall Length                 | Muzzle Diameter                    | Barrel Thread | Overall Weight                       | Magazine                 | Capaci     |
|---------------------------------------|-------------------------------|-------------------|----------------------------|--------------------------------|------------------------------------|---------------|--------------------------------------|--------------------------|------------|
|                                       | N *Feature a Thumbhole Syr    |                   |                            |                                | 0.1 5 5                            | E/0.04 ····=  | 0.01/ (= :: :                        | DETA O                   |            |
| BW154C-65                             | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 108 cm (42.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,2 Kg (7 lbs)                       | DETACHABLE               | 5+1        |
| 3W155C-65PRC                          | 6,5 PRC                       | 1:8"              | 61 cm (24")                | 112 cm (44")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,3 Kg (7,2 lbs)                     | DETACHABLE               | 5+1        |
| 3W153C-308                            | .308 Win                      | 1:10"             | 51 cm (20")                | 103 cm (40.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3 Kg (6,6 lbs)                       | DETACHABLE               | 5+1        |
| 3W155C-300                            | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 114 cm (44.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,3 Kg (7,4 lbs)                     | DETACHABLE               | 5+1        |
|                                       | re a Thumbhole Synthetic sto  |                   |                            | 400 and (40 FII)               | 47.5 mm (No. 5)                    | 5/0 04 UNES   | 0.0 (/- /7.0 lb-)                    | DETAGUADUE               | - 4        |
| 3W153-243                             | .243 Win                      | 1:10"             | 51 cm (20")                | 103 cm (40.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,3 Kg (7,2 lbs)                     | DETACHABLE               | 5+1        |
| BW153-65                              | 6,5 Creedmoor                 | 1:8"              | 51 cm (20")                | 103 cm (40.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,3 Kg (7,2 lbs)                     | DETACHABLE               | 5+1        |
| BW153-65PRC                           | 6,5 PRC                       | 1:8"              | 51 cm (20")                | 103 cm (40.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,3 Kg (7,2 lbs)                     | DETACHABLE               | 5+1        |
| 3W153-308                             | .308 Win                      | 1:10"             | 51 cm (20")                | 103 cm (40.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,3 Kg (7,2 lbs)                     | DETACHABLE               | 5+1        |
| 3W155-7RM                             | 7mm Rem Mag                   | 1:9,5"            | 61 cm (24")                | 114 cm (44.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,5 Kg (7,7 lbs)                     | DETACHABLE               | 5+1        |
| W155-300                              | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 114 cm (44.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,5 Kg (7,7 lbs)                     | DETACHABLE               | 5+1        |
|                                       | ure a Bergara HMR molded s    |                   |                            |                                |                                    | = /           |                                      |                          |            |
| 3W134C-65                             | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 107 cm (42")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,6 Kg (7.9 lbs)                     | DETACHABLE               | 5+1        |
| 3W135C-65PRC                          | 6,5 PRC                       | 1:8"              | 61 cm (24")                | 112 cm (44")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,7 Kg (8.2 lbs)                     | DETACHABLE               | 5+1        |
| 3W133C-308                            | .308 Win                      | 1:10"             | 51 cm (20")                | 102 cm (40")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,4 Kg (7.5 lbs)                     | DETACHABLE               | 5+1        |
| W135C-300                             | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 112 cm (44.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3,8 Kg (8.3 lbs)                     | DETACHABLE               | 5+1        |
|                                       | ara HMR molded stock with     |                   |                            |                                |                                    |               |                                      |                          |            |
| W135-65                               | 6,5 Creedmoor                 | 1:8"              | 61 cm (24")                | 107 cm (42")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 4,4 Kg (9.7 lbs)                     | DETACHABLE               | 5+1        |
| W135-65PRC                            | 6,5 PRC                       | 1:8"              | 61 cm (24")                | 112 cm (44")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 4,4 Kg (9.7 lbs)                     | DETACHABLE               | 5+1        |
| 3W133-308                             | .308 Win                      | 1:10"             | 51 cm (20")                | 102 cm (40")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 4,3 Kg (9.5 lbs)                     | DETACHABLE               | 5+1        |
| W136-300                              | .300 Win Mag                  | 1:10"             | 66 cm (26")                | 114 cm (44.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 4,5 Kg (9.9 lbs)                     | DETACHABLE               | 5+1        |
| W136-300PRC                           | .300 PRC                      | 1:9"              | 66 cm (26")                | 114 cm (44.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 4,5 Kg (9.9 lbs)                     | DETACHABLE               | 5+1        |
| RIDGE CARBON *Fea                     | ture an American style synth  | netic stock. carl | oon barrel and inst        | alled Omni Brake               |                                    |               |                                      |                          |            |
| W124C-65                              | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 105 cm (41.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 2.9 Kg (6.5 lbs)                     | DETACHABLE               | 3+1        |
| 3W123C-308                            | .308 Win                      | 1:10"             | 51 cm (20")                | 100 cm (39.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 2,9 Kg (6.4 lbs)                     | DETACHABLE               | 3+1        |
| W125C-300                             | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 112 cm (44")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3 Kg (6.7 lbs)                       | DETACHABLE               | 2+1        |
| 3W124CF-65                            | 6,4 Creedmoor                 | 1:8"              | 56 cm (22")                | 105 cm (41.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 2.9 Kg (6.5 lbs)                     | FL00RPLATE               | 4+1        |
| BW125CF-65PRC                         | 6,5 PRC                       | 1:8"              | 61 cm (24")                | 110 cm (43,5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3 Kg (6.7 lbs)                       | FL00RPLATE               | 2+1        |
| 3W123CF-308                           | .308 Win                      | 1:10"             | 51 cm (20")                | 100 cm (39.5")                 | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 2,9 Kg (6.4 lbs)                     | FL00RPLATE               | 4+1        |
| 3W125CF-300                           | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 112 cm (44")                   | 21.5 mm (No. 6)                    | 5/8-24 UNEF   | 3 Kg (6.7 lbs)                       | FLOORPLATE               | 3+1        |
| RIDGE *Feature an A                   | merican style synthetic stock | cand installed (  | Omni Brake                 |                                |                                    |               |                                      |                          |            |
| 3W124-65                              | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 105 cm (41.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,4 Kg (7.5 lbs)                     | DETACHABLE               | 3+1        |
| 3W123-308                             | .308 Win                      | 1:10"             | 51 cm (20")                | 100 cm (39.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,3 Kg (7.4 lbs)                     | DETACHABLE               | 3+1        |
| 3W125-7RM                             | 7mm Rem Mag                   | 1:9,5"            | 61 cm (24")                | 112 cm (44")                   | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,5 Kg (7.7 lbs)                     | DETACHABLE               | 2+1        |
| 3W125-300                             | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 112 cm (44")                   | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,5 Kg (7.7 lbs)                     | DETACHABLE               | 2+1        |
| 3W124F-65                             | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 105 cm (41.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,4 Kg (7.5 lbs)                     | FLOORPLATE               | 4+1        |
| 3W123F-308                            | .308 Win                      | 1:10"             | 51 cm (20")                | 100 cm (39.5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,3 Kg (7.4 lbs)                     | FLOORPLATE               | 4+1        |
| BW125F-7RM                            | 7mm Rem Mag                   | 1:9,5"            | 61 cm (24")                | 112 cm (44")                   | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,5 Kg (7.7 lbs)                     | FL00RPLATE               | 3+1        |
| 3W125F-300                            | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 112 cm (44")                   | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3.5 Kg (7.7 lbs)                     | FLOORPLATE               | 3+1        |
| W125F-65PRC                           | 6,5 PRC                       | 1:8"              | 61 cm (24")                | 110 cm (43,5")                 | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,4 Kg (7.6 lbs)                     | FL00RPLATE               | 2+1        |
| 3W125F-300PRC                         | .300 PRC                      | 1:9"              | 61 cm (24")                | 112 cm (44")                   | 17.5 mm (No. 5)                    | 5/8-24 UNEF   | 3,5 Kg (7.7 lbs)                     | FL00RPLATE               | 2+1        |
| TERRAIN *Feature a                    | Bergara Terrain molded stoc   | k mini-chassis    | and installed Omni         | Brake                          |                                    |               |                                      |                          |            |
| 3W145-65                              | 6,5 Creedmoor                 | 1:8"              | 61 cm (24")                | 114 cm (45")                   | 19.1 mm (No. 5.5)                  | 5/8-24 UNEF   | 4,2 Kg (9.3 lbs)                     | DETACHABLE               | 5+1        |
| 3W145-65PRC                           | 6,5 PRC                       | 1:8"              | 61 cm (24")                | 114 cm (45")                   | 19.1 mm (No. 5.5)                  | 5/8-24 UNEF   | 4,2 Kg (9.3 lbs)                     | DETACHABLE               | 5+1        |
| 3W143-308                             | .308 Win                      | 1:10"             | 51 cm (20")                | 104 cm (41")                   | 19.1 mm (No. 5.5)                  | 5/8-24 UNEF   | 4 Kg (8.9 lbs)                       | DETACHABLE               | 5+1        |
| 3W146-300                             | .300 Win Mag                  | 1:10"             | 66 cm (26")                | 122 cm (48")                   | 19.1 mm (No. 5.5)                  | 5/8-24 UNEF   | 4,6 Kg (10.1 lbs)                    | DETACHABLE               | 5+1        |
| 3W146-300PRC                          | .300 PRC                      | 1:9"              | 66 cm (26")                | 122 cm (48")                   | 19.1 mm (No. 5.5)                  | 5/8-24 UNEF   | 4,6 Kg (10.1 lbs)                    | DETACHABLE               | 5+1        |
| IUNTER *Feature an                    | American style synthetic sto  | ock               |                            |                                |                                    |               |                                      |                          |            |
| W114-65                               | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 105 cm (41.5")                 | 16.6 mm (No. 4)                    | -             | 3,19 Kg (7.1 lbs)                    | DETACHABLE               | 3+1        |
| W114-308                              | .308 Win                      | 1:10"             | 56 cm (22")                | 105 cm (41.5")                 | 16.6 mm (No. 4)                    | -             | 3,19 Kg (7.1 lbs)                    | DETACHABLE               | 3+1        |
| W115-7RM                              | 7mm Rem Mag                   | 1:9,5"            | 61 cm (24")                | 112 cm (44")                   | 16.6 mm (No. 4)                    | -             | 3,3 Kg (7.3 lbs)                     | DETACHABLE               | 2+1        |
| BW115-300                             | .300 Win Mag                  | 1:10"             | 61 cm (24")                | 112 cm (44")                   | 16.6 mm (No. 4)                    | -             | 3,3 Kg (7.3 lbs)                     | DETACHABLE               | 2+1        |
|                                       | 6,5 Creedmoor                 | 1:8"              | 56 cm (22")                | 105 cm (41.5")                 | 16.6 mm (No. 4)                    | -             | 3,2 Kg (7.2 lbs)                     | FLOORPLATE               | 4+1        |
| 3W114F-65                             |                               |                   |                            |                                |                                    |               |                                      |                          |            |
|                                       | .308 Win                      | 1:10"             | 56 cm (22")                | 105 cm (41.5")                 | 16.6 mm (No. 4)                    | -             | 3,2 Kg (7.2 lbs)                     | FLOORPLATE               | 4+1        |
| BW114F-65<br>BW114F-308<br>BW115F-7RM | .308 Win<br>7mm Rem Mag       | 1:10"<br>1:9,5"   | 56 cm (22")<br>61 cm (24") | 105 cm (41.5")<br>112 cm (44") | 16.6 mm (No. 4)<br>16.6 mm (No. 4) | -             | 3,2 Kg (7.2 lbs)<br>3,3 Kg (7.3 lbs) | FLOORPLATE<br>FLOORPLATE | 4+1<br>3+1 |

B-14 EXTREME SERIES RIFLES
\*All B-14 Extreme Series Rifles come with the Bergara Performance Trigger

| Reference      | Caliber                         | Twist           | Barrel Length      | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight   | Magazine   | Capacity |
|----------------|---------------------------------|-----------------|--------------------|----------------|-----------------|---------------|------------------|------------|----------|
| EXTREME HUNTER | *Feature an American style syn  | nthetic stock   |                    |                |                 |               |                  |            |          |
| BX112-65       | 6,5 Creedmoor                   | 1:8"            | 46 cm (18")        | 95 cm (37.5")  | 16.6 mm (No. 4) | M14x1         | 2,9 Kg (6.4 lbs) | DETACHABLE | 3+1      |
| BX112-308      | .308 Win                        | 1:10"           | 46 cm (18")        | 95 cm (37.5")  | 16.6 mm (No. 4) | M14x1         | 2,9 Kg (6.4 lbs) | DETACHABLE | 3+1      |
| EXTREME HUNTER | *Feature an American style syn  | nthetic stock a | nd Open Sights     |                |                 |               |                  |            |          |
| BX112A-65      | 6,5 Creedmoor                   | 1:8"            | 46 cm (18")        | 95 cm (37.5")  | 16.6 mm (No. 4) | M14x1         | 2,9 Kg (6.4 lbs) | DETACHABLE | 3+1      |
| BX112A-308     | .308 Win                        | 1:10"           | 46 cm (18")        | 95 cm (37.5")  | 16.6 mm (No. 4) | M14x1         | 2,9 Kg (6.4 lbs) | DETACHABLE | 3+1      |
| EXTREME SPORTE | R *Feature a Montecarlo style s | ynthetic stock  |                    |                |                 |               |                  |            |          |
| BX122-65       | 6,5 Creedmoor                   | 1:8"            | 46 cm (18")        | 97 cm (38")    | 16.6 mm (No. 4) | M14x1         | 3,1 Kg (6.8 lbs) | DETACHABLE | 3+1      |
| BX122-308      | .308 Win                        | 1:10"           | 46 cm (18")        | 97 cm (38")    | 16.6 mm (No. 4) | M14x1         | 3,1 Kg (6.8 lbs) | DETACHABLE | 3+1      |
| EXTREME SPORTE | R *Feature a Montecarlo style s | ynthetic stock  | and Open Sights    |                |                 |               |                  |            |          |
| BX122A-65      | 6,5 Creedmoor                   | 1:8"            | 46 cm (18")        | 97 cm (38")    | 16.6 mm (No. 4) | M14x1         | 3,1 Kg (6.8 lbs) | DETACHABLE | 3+1      |
| BX122A-308     | .308 Win                        | 1:10"           | 46 cm (18")        | 97 cm (38")    | 16.6 mm (No. 4) | M14x1         | 3,1 Kg (6.8 lbs) | DETACHABLE | 3+1      |
| EXTREME HUNTER | VIPER URBAN *Feature an Am      | erican style sy | nthetic stock      |                |                 |               |                  |            |          |
| BX112-65V      | 6,5 Creedmoor                   | 1:8"            | 46 cm (18")        | 95 cm (37.5")  | 16.6 mm (No. 4) | M14x1         | 2,9 Kg (6.4 lbs) | DETACHABLE | 3+1      |
| BX112-308V     | .308 Win                        | 1:10"           | 46 cm (18")        | 95 cm (37.5")  | 16.6 mm (No. 4) | M14x1         | 2,9 Kg (6.4 lbs) | DETACHABLE | 3+1      |
| EXTREME SPORTE | R VIPER WESTERN *Feature a l    | Montecarlo sty  | le synthetic stock |                |                 |               |                  |            |          |
| BX122-65V      | 6,5 Creedmoor                   | 1:8"            | 46 cm (18")        | 97 cm (38")    | 16.6 mm (No. 4) | M14x1         | 3,1 Kg (6.8 lbs) | DETACHABLE | 3+1      |
| BX122-308V     | .308 Win                        | 1:10"           | 46 cm (18")        | 97 cm (38")    | 16.6 mm (No. 4) | M14x1         | 3,1 Kg (6.8 lbs) | DETACHABLE | 3+1      |
|                |                                 |                 |                    |                |                 |               |                  |            |          |

#### **B-14 SERIES RIFLES**

| All B-14 Series Rifles o | ome with the Bergara Performar   | nce Trigger |               |                |                   |               |                   |                 |          |
|--------------------------|----------------------------------|-------------|---------------|----------------|-------------------|---------------|-------------------|-----------------|----------|
| Reference                | Caliber                          | Twist       | Barrel Length | Overall Length | Muzzle Diameter   | Barrel Thread | Overall Weight    | Magazine        | Capacity |
| HMR *Feature a Berga     | ra HMR molded stock with mini-   | -chassis    |               |                |                   |               |                   |                 |          |
| BE145-22250              | .22-250 Rem.                     | 1:9"        | 61 cm (24")   | 112 cm (44")   | 21.5 mm (No. 6)   | M18x1         | 4,39 Kg (9.7 lbs) | AICS COMPATIBLE | 5+1      |
| BE145-65                 | 6,5 Creedmoor                    | 1:8"        | 61 cm (24")   | 112 cm (44")   | 21.5 mm (No. 6)   | M18x1         | 4,39 Kg (9.7 lbs) | AICS COMPATIBLE | 5+1      |
| BE146-65                 | 6,5 Creedmoor                    | 1:8"        | 66 cm (26")   | 116 cm (45.5") | 21.5 mm (No. 6)   | M18x1         | 4,45 Kg (9.8 lbs) | AICS COMPATIBLE | 5+1      |
| BE145-308                | .308 Win                         | 1:10"       | 61 cm (24")   | 112 cm (44")   | 19.1 mm (No. 5.5) | M15x1         | 4,39 Kg (9.7 lbs) | AICS COMPATIBLE | 5+1      |
| BE146-300                | .300 Win Mag                     | 1:10"       | 66 cm (26")   | 120 cm (47.5") | 19.1 mm (No. 5.5) | M15x1         | 4,5 Kg (9.9 lbs)  | AICS COMPATIBLE | 5+1      |
| HMR LEFT HANDED *        | Feature a Bergara HMR molded :   | stock with  | mini-chassis  |                |                   |               |                   |                 |          |
| BE145-22250Z             | .22-250 Rem.                     | 1:9"        | 61 cm (24")   | 112 cm (44")   | 21.5 mm (No. 6)   | M18x1         | 4,39 Kg (9.7 lbs) | AICS COMPATIBLE | 5+1      |
| BE145-65Z                | 6,5 Creedmoor                    | 1:8"        | 61 cm (24")   | 112 cm (44")   | 21.5 mm (No. 6)   | M18x1         | 4,39 Kg (9.7 lbs) | AICS COMPATIBLE | 5+1      |
| BE146-65Z                | 6,5 Creedmoor                    | 1:8"        | 66 cm (26")   | 116 cm (45.5") | 21.5 mm (No. 6)   | M18x1         | 4,45 Kg (9.8 lbs) | AICS COMPATIBLE | 5+1      |
| BE145-308Z               | .308 Win                         | 1:10"       | 61 cm (24")   | 112 cm (44")   | 19.1 mm (No. 5.5) | M18x1         | 4,39 Kg (9.7 lbs) | AICS COMPATIBLE | 5+1      |
| BE146-300Z               | .300 Win Mag                     | 1:10"       | 66 cm (26")   | 120 cm (47.5") | 19.1 mm (No. 5.5) | M15x1         | 4,5 Kg (9.9 lbs)  | AICS COMPATIBLE | 5+1      |
| SPORTER *Feature a M     | Montecarlo style synthetic stock |             |               |                |                   |               |                   |                 |          |
| BE124-243                | .243 Win                         | 1:10"       | 56 cm (22")   | 107 cm (42")   | 16.6 mm (No. 4)   | M14x1         | 3,33 Kg (7.3 lbs) | DETACHABLE      | 3+1      |
| BE124-65                 | 6,5 Creedmoor                    | 1:8"        | 56 cm (22")   | 107 cm (42")   | 16.6 mm (No. 4)   | M14x1         | 3,33 Kg (7.3 lbs) | DETACHABLE      | 3+1      |
| BE124-308                | .308 Win                         | 1:12"       | 56 cm (22")   | 107 cm (42")   | 16.6 mm (No. 4)   | M14x1         | 3,33 Kg (7.3 lbs) | DETACHABLE      | 3+1      |
| BE125-65X                | 6,5x55 SE                        | 1:8,66"     | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,42 Kg (7.5 lbs) | DETACHABLE      | 3+1      |
| BE125-270                | .270 Win                         | 1:10"       | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,42 Kg (7.5 lbs) | DETACHABLE      | 3+1      |
| BE125-3006               | .30-06 Spring                    | 1:10"       | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,42 Kg (7.5 lbs) | DETACHABLE      | 3+1      |
| BE125-7RM                | 7mm Rem Mag                      | 1:9,5"      | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,42 Kg (7.5 lbs) | DETACHABLE      | 2+1      |
| BE125-300                | .300 Win Mag                     | 1:10"       | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,42 Kg (7.5 lbs) | DETACHABLE      | 2+1      |
| BE125-338                | .338 Win Mag                     | 1:10"       | 61 cm (24")   | 115 cm (45")   | 19.1 mm (No. 5.5) | M15x1         | 3,4 Kg (7.5 lbs)  | DETACHABLE      | 2+1      |
| BE124F-243               | .243 Win                         | 1:10"       | 56 cm (22")   | 107 cm (42")   | 16.6 mm (No. 4)   | M14x1         | 3,37 Kg (7.4 lbs) | FLOORPLATE      | 4+1      |
| BE124F-65                | 6,5 Creedmoor                    | 1:8"        | 56 cm (22")   | 107 cm (42")   | 16.6 mm (No. 4)   | M14x1         | 3,37 Kg (7.4 lbs) | FLOORPLATE      | 4+1      |
| BE124F-308               | .308 Win                         | 1:12"       | 56 cm (22")   | 107 cm (42")   | 16.6 mm (No. 4)   | M14x1         | 3,37 Kg (7.4 lbs) | FLOORPLATE      | 4+1      |
| BE125F-65X               | 6,5x55 SE                        | 1:8,66"     | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,45 Kg (7.5 lbs) | FLOORPLATE      | 4+1      |
| BE125F-270               | .270 Win                         | 1:10"       | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,45 Kg (7.5 lbs) | FLOORPLATE      | 4+1      |
| BE125F-3006              | .30-06 Spring                    | 1:10"       | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,45 Kg (7.5 lbs) | FLOORPLATE      | 4+1      |
| BE125F-7RM               | 7mm Rem Mag                      | 1:9,5"      | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,45 Kg (7.5 lbs) | FLOORPLATE      | 3+1      |
| BE125F-300               | .300 Win Mag                     | 1:10"       | 61 cm (24")   | 115 cm (45")   | 16.6 mm (No. 4)   | M14x1         | 3,45 Kg (7.5 lbs) | FLOORPLATE      | 3+1      |
| BE125F-338               | .338 Win Mag                     | 1:10"       | 61 cm (24")   | 115 cm (45")   | 19.1 mm (No. 5.5) | M15x1         | 3,4 Kg (7.5 lbs)  | FLOORPLATE      | 3+1      |

SPECIFICATIONS

B-14 SERIES RIFLES
\*All B-14 Series Rifles come with the Bergara Performance Trigger

| ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 24  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+  |
|--|--|
| ACHABLE 3-4 ACHABLE 3-4 ACHABLE 3-4 ACHABLE 3-4 ACHABLE 3-4 ACHABLE 3-4 ACHABLE 2-4 ACHABL | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 24  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 34 ACHABLE 24  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 3+ ACHABLE 3+ ACHABLE 3+ ACHABLE 2+ ACHABLE 2+ ACHABLE 2+ ACHABLE 2+ ACHABLE 2+ ACHABLE 2+ ACHABLE 3+ ACHABLE 4+ DRPLATE 3+  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 3+ ACHABLE 2+ ACHABLE 4+ ACHABLE 3+  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 3+ ACHABLE 2+ ACHABLE 4+ ACHABLE 3+ ACHABLE 2+  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 44 ACHABLE 34   | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 24 ACHABLE 44 ACHABLE 34  | +1<br>+1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 24 ACHABLE 24 ACHABLE 24 DRPLATE 44 DRPLATE 34  | +1<br>+1<br>+1<br>+1<br>+1<br>+1   |
| ACHABLE 2+ DRPLATE 4+ DRPLATE 3+  | +1<br>+1<br>+1<br>+1<br>+1   |
| ORPLATE         4+           ORPLATE         3+  | +1<br>+1<br>+1<br>+1   |
| ORPLATE         4-1           ORPLATE         4-1           ORPLATE         4-1           ORPLATE         4-1           ORPLATE         4-1           ORPLATE         4-1           ORPLATE         3-1  | +1<br>+1<br>+1   |
| ORPLATE 4+ ORPLATE 4+ ORPLATE 4+ ORPLATE 4+ ORPLATE 4+ ORPLATE 3+  | +1<br>+1   |
| DRPLATE 4+ DRPLATE 4+ DRPLATE 4+ DRPLATE 4+ DRPLATE 3+   | +1   |
| DRPLATE 4+ DRPLATE 4+ DRPLATE 4+ DRPLATE 3+  |  |
| ORPLATE 4+ ORPLATE 3+  | +1   |
| ORPLATE 4+<br>ORPLATE 3+   |  |
| ORPLATE 3+   | +1   |
|  | +1   |
| ADDIATE O  | +1   |
| ORPLATE 3+   | +1   |
| ORPLATE 3+   | +1   |
| ORPLATE 3+   | +1   |
|  |  |
| ACHABLE 3+   | +1   |
| ACHABLE 3+   | +1   |
| ACHABLE 2+   | +1   |
| ACHABLE 2+   | +1   |
| ACHABLE 2+   | +1   |
| ORPLATE 4+   | +1   |
| ORPLATE 4+   | +1   |
| ORPLATE 3+   | +1   |
| ORPLATE 3+   | +1   |
| ORPLATE 3+   | +1   |
|  |  |
| ACHABLE 3+   | +1   |
| ACHABLE 2+   | +1   |
| ACHABLE 2+   | +1   |
| ORPLATE 4-   | +1   |
| ORPLATE 4+   | +1   |
| ORPLATE 4-   | +1   |
| ORPLATE 4-   | +1   |
| ORPLATE 4+   | +1   |
| ORPLATE 3+   | +1   |
| ORPLATE 3+   | +1   |
|  | CHABLE 3- CHABLE 2- CHABLE 2- CHABLE 2- RPLATE 4- RPLATE 3- RPLATE 3- RPLATE 3- RPLATE 3- CHABLE 4- RPLATE 3- RPLATE |

BA13 TD SERIES RIFLES
\*All BA13 TD Series Rifles have 100% ambidextrous stocks in black, strata camo and green color

| Reference       | Caliber                              | Twist          | Barrel Length   | Overall Length | Muzzle Diameter   | Barrel Thread | Overall Weight    |
|-----------------|--------------------------------------|----------------|-----------------|----------------|-------------------|---------------|-------------------|
| BA13 TD STANDAR | RD *Feature a Compact Synthetic      | c design stock | and Open Sights |                |                   |               |                   |
| BA113A-243      | .243 Win                             | 1:10"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA113A-308      | .308 Win                             | 1:12"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA113A-3006     | .30-06 Spring                        | 1:10"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA113A-4570     | .45-70 Govt.                         | 1:20"          | 51 cm (20")     | 89 cm (35")    | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 3,2 Kg (7 lbs)    |
| BA113A-8X5      | 8x57 JRS                             | 1:9,5"         | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA13 TD STANDAR | RD *Feature a Compact Synthetic      | c design stock | (               |                |                   |               |                   |
| BA111-300B      | .300 AAC BLACKOUT                    | 1:8"           | 42 cm (16,5")   | 80 cm (31.5")  | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 2,9 Kg (6.4 lbs)  |
| BA112-300B      | .300 AAC BLACKOUT                    | 1:8"           | 46 cm (18")     | 84 cm (33")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  |
| BA111-308       | .308 Win                             | 1:8"           | 42 cm (16,5")   | 80 cm (31.5")  | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 2,9 Kg (6.4 lbs)  |
| BA112-308       | .308 Win                             | 1:8"           | 46 cm (18")     | 84 cm (33")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  |
| BA13 TD THUMBH  | <b>OLE</b> *Feature a Take Down Thun | nbhole stock   |                 |                |                   |               |                   |
| BA123-243       | .243 Win                             | 1:10"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA121-300B      | .300 AAC BLACKOUT                    | 1:8"           | 42 cm (16,5")   | 80 cm (31.5")  | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 2,9 Kg (6.4 lbs)  |
| BA122-300B      | .300 AAC BLACKOUT                    | 1:8"           | 46 cm (18")     | 84 cm (33")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  |
| BA121-308       | .308 Win                             | 1:8"           | 42 cm (16,5")   | 80 cm (31.5")  | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 2,9 Kg (6.4 lbs)  |
| BA123-308       | .308 Win                             | 1:12"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA122-308       | .308 Win                             | 1:8"           | 46 cm (18")     | 84 cm (33")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,1 Kg (6.8 lbs)  |
| BA123-3006      | .30-06 Spring                        | 1:10"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA123-4570      | .45-70 Govt.                         | 1:20"          | 51 cm (20")     | 89 cm (35")    | 19.1 mm (No. 5.5) | 5/8-24 UNEF   | 3,2 Kg (7 lbs)    |
| BA123-8X5       | 8x57 JRS                             | 1:9,5"         | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA13 TD STANDAR | RD STRATA *Feature a Compact         | Synthetic des  | ign stock       |                |                   |               |                   |
| BA113-223ST     | .223                                 | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA113-65ST      | 6,5 Creedmoor                        | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA113-308ST     | .308 Win                             | 1:12"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA13 TD THUMBH  | <b>OLE STRATA</b> *Feature a Take Do | own Thumbho    | le stock        |                |                   |               |                   |
| BA123-223ST     | .223                                 | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA123-65ST      | 6,5 Creedmoor                        | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA123-308ST     | .308 Win                             | 1:12"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA13 TD STANDAR | RD GREEN *Feature a Compact S        | Synthetic desi | gn stock        |                |                   |               |                   |
| BA213-223G      | .223                                 | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA213-65G       | 6,5 Creedmoor                        | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA213-308G      | .308 Win                             | 1:12"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA13 TD THUMBH  | <b>OLE GREEN</b> *Feature a Take Dov | wn Thumbhole   | stock           |                |                   |               |                   |
| BA223-223G      | .223                                 | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA223-65G       | 6,5 Creedmoor                        | 1:8"           | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |
| BA223-308G      | .308 Win                             | 1:12"          | 51 cm (20")     | 89 cm (35")    | 17.5 mm (No. 5)   | 5/8-24 UNEF   | 3,14 Kg (6.9 lbs) |



SPECIFICATIONS

#### RIMFIRE SERIES RIFLES

| Reference         | Caliber                         | Twist        | Barrel Length | Overall Length | Muzzle Diameter | Barrel Thread | Overall Weight   | Magazine   | Capacity |
|-------------------|---------------------------------|--------------|---------------|----------------|-----------------|---------------|------------------|------------|----------|
| B14-R CARBON *Fe  | ature an HMR stock and carbon   | fiber barrel |               |                |                 |               |                  |            |          |
| BR142-22LR        | .22 LR                          | 1:16"        | 46 cm (18")   | 96 cm (38")    | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,6 Kg (8.1 lbs) | DETACHABLE | 10       |
| BR143-22W         | .22 WMR                         | 1:16"        | 51 cm (20"    | 101 cm (40")   | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,7 Kg (8.3 lbs) | DETACHABLE | 10       |
| BR143-17HMR       | .17 HMR                         | 1:9"         | 51 cm (20")   | 101 cm (40")   | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,7 Kg (8.3 lbs) | DETACHABLE | 10       |
| BR142-22LRZ       | .22 LR (Left Handed)            | 1:16"        | 46 cm (18")   | 96 cm (38")    | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3.6 Kg (8.1 lbs) | DETACHABLE | 10       |
| BR143-22WZ        | .22 WMR (Left Handed)           | 1:16"        | 51 cm (20")   | 101 cm (40")   | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,7 Kg (8.3 lbs) | DETACHABLE | 10       |
| BR143-17HMRZ      | .17 HMR (Left Handed)           | 1:9"         | 51 cm (20")   | 101 cm (40")   | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,7 Kg (8.3 lbs) | DETACHABLE | 10       |
| B14-R STEEL *Feat | ure an HMR stock                |              |               |                |                 |               |                  |            |          |
| BR132-22LR        | .22 LR                          | 1:16"        | 46 cm (18")   | 96 cm (38")    | 21.5 mm (No. 6) | 1/2-28 UNEF   | 4.1 Kg (9.2 lbs) | DETACHABLE | 10       |
| BR133-22W         | .22 WMR                         | 1:16"        | 51 cm (20")   | 101 cm (40")   | 21.5 mm (No. 6) | 1/2-28 UNEF   | 4.2 Kg (9.4 lbs) | DETACHABLE | 10       |
| BR133-17HMR       | .17 HMR                         | 1:9"         | 51 cm (20")   | 101 cm (40")   | 21.5 mm (No. 6) | 1/2-28 UNEF   | 4,1 Kg (9.4 lbs) | DETACHABLE | 10       |
| BR132-22LRZ       | .22 LR (Left Handed)            | 1:16"        | 46 cm (18")   | 96 cm (38")    | 21.5 mm (No. 6) | 1/2-28 UNEF   | 4.1 Kg (9.2 lbs) | DETACHABLE | 10       |
| BR133-22WZ        | .22 WMR (Left Handed)           | 1:16"        | 51 cm (20")   | 101 cm (40")   | 21.5 mm (No. 6) | 1/2-28 UNEF   | 4.2 Kg (9.4 lbs) | DETACHABLE | 10       |
| BR133-17HMRZ      | .17 HMR (Left Handed)           | 1:9"         | 51 cm (20")   | 101 cm (40")   | 21.5 mm (No. 6) | 1/2-28 UNEF   | 4.2 Kg (9.4 lbs) | DETACHABLE | 10       |
| BMR CARBON *Feat  | ture a BMR stock and carbon fib | er barrel    |               |                |                 |               |                  |            |          |
| BR162-22LR        | .22 LR                          | 1:16"        | 46 cm (18")   | 92 cm (36")    | 21.5 mm (No. 6) | 1/2-28 UNEF   | 2,3 Kg (5 lbs)   | DETACHABLE | 5 AND 10 |
| BR163-22W         | .22 WMR                         | 1:16"        | 51 cm (20")   | 97 cm (38")    | 21.5 mm (No. 6) | 1/2-28 UNEF   | 2,4 Kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| BR163-17HMR       | .17 HMR                         | 1:9"         | 51 cm (20")   | 97 cm (38")    | 21.5 mm (No. 6) | 1/2-28 UNEF   | 2,4 Kg (5.4 lbs) | DETACHABLE | 5 AND 10 |
| BMR STEEL *Featur | e a BMR stock                   |              |               |                |                 |               |                  |            |          |
| BR152-22LR        | .22 LR                          | 1:16"        | 46 cm (18")   | 92 cm (36")    | 16.6 mm (No. 4) | 1/2-28 UNEF   | 2,5 Kg (5.5 lbs) | DETACHABLE | 5 AND 10 |
| BR153-22W         | .22 WMR                         | 1:16"        | 51 cm (20")   | 97 cm (38")    | 16.6 mm (No. 4) | 1/2-28 UNEF   | 2,6 Kg (5.8 lbs) | DETACHABLE | 5 AND 1  |
| BR153-17HMR       | .17 HMR                         | 1:9"         | 51 cm (20")   | 97 cm (38")    | 16.6 mm (No. 4) | 1/2-28 UNEF   | 2,6 Kg (5.8 lbs) | DETACHABLE | 5 AND 1  |
|                   |                                 |              |               |                |                 |               |                  |            |          |

#### SHOOTING BARRELED ACTION

\*Come with AICS style magazine

| Reference                | Caliber              | Twist  | Barrel Length | Overall Length  | Muzzle Diameter | Barrel Thread | Overall Weight   | Magazine   | Capacity |  |
|--------------------------|----------------------|--------|---------------|-----------------|-----------------|---------------|------------------|------------|----------|--|
| BARRELED ACTION Shooting |                      |        |               |                 |                 |               |                  |            |          |  |
| BRA176S-6C               | 6 Creedmoor          | 1:7,5" | 66 cm (26")   | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF   | 3,6 Kg (7.9 lbs) | DETACHABLE | 10       |  |
| BRA176S-65               | 6,5 Creedmoor        | 1:8"   | 66 cm (26")   | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF   | 3,6 Kg (7.9 lbs) | DETACHABLE | 10       |  |
| BRA176S-308              | .308 Win             | 1:11"  | 66 cm (26")   | 84,5 cm (33.3") | 23.6 mm (No. 7) | 5/8-24 UNEF   | 3,6 Kg (7.9 lbs) | DETACHABLE | 10       |  |
| BARRELED ACTION          | Rimfire Shooting     |        |               |                 |                 |               |                  |            |          |  |
| BRA172S-22LR             | .22 LR               | 1:16"  | 51 cm (20")   | 74,5 cm (29.3") | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,4 Kg (7.5 lbs) | DETACHABLE | 10       |  |
| BRA172S-22LRZ            | .22 LR (Left Handed) | 1:16"  | 51 cm (20")   | 74,5 cm (29.3") | 23.6 mm (No. 7) | 1/2-28 UNEF   | 3,4 Kg (7.5 lbs) | DETACHABLE | 10       |  |



#### WARRANTY

Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.

#### **CUSTOMER SERVICE**

If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.

DIKAR S. COOP. Ugarte 26 20570 Bergara, Gipuzkoa, Spain info@bergararifles.com

www.bergara.online



